

# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional



53252



53303



54622

## SUPERNOVA® 4" 10-DIODE PATTERN LED STOP/TAIL/TURN LAMP

Lens design spreads light for maximum dispersion • Encapsulant potting for total circuit board protection • Hermetic lens-to-housing seal • Advanced Pin Connection System uses tin-plated, solid brass pin terminals • Uses same UBS pigtail as male pin incandescent

### STOP/TAIL/TURN:

- 53252** Red, Grommet Mount, Male Pin
- 53272** Red, Gray Theft-Resistant Flange, Male Pin
- 53282** Red, White Theft-Resistant Flange, Male Pin
- 53292** Red, Black Theft-Resistant Flange, Male Pin
- 53302** Red, Stainless Steel Theft-Resistant Flange, Male Pin
- 52092** Red, Grommet Mount, Male Pin **24**  
VOLT
- 54622** Red, Integrated Flange w/ Gasket, Male Pin **NEW**
- 53552** Red, Grommet Mount, Hard Shell
- 54042** Red, Stainless Steel Snap-In Flange, Hard Shell
- 53532** Red, Grommet Mount, Hardwire

### STOP/TAIL/TURN KITS:

- 53462** Red, Male Pin, (53252 + 91740 + 67002)
- 53432** Red, Male Pin, (53302 + 67002)
- 53342** Red, Male Pin, (53252 + 66830)

### AUXILIARY:

- 53253** Yellow, Grommet Mount, Male Pin
- 52093** Yellow, Grommet Mount, Male Pin **24**  
VOLT
- 53273** Yellow, Gray Theft-Resistant Flange, Male Pin
- 53293** Yellow, Black Theft-Resistant Flange, Male Pin
- 53303** Yellow, Stainless Steel Theft-Resistant Flange, Male Pin
- 53553** Yellow, Grommet Mount, Hard Shell

Material: Acrylic / ABS

FMVSS: S/T/T - I, P2, S, T; Auxiliary - P2

Finish: Red / Yellow

Volts / Amps: Red - 12V / .24A (I,S)/.03A (T)

Volts / Amps: Yellow - 12V / .15A (P2)

Volts / Amps: Red - 24V / .24A(I,S)/.03A (T)

Volts / Amps: Yellow - 24V / .12A (P2)

Accessory: Reflective Flange: Red 43702


Bracket: 93552, 43253, 92510, 92512, 92513, 43572, 43642, 43655, 43732, 93190,

93550, 93553, 93683, 92511, 51090

Grommet: 91740, 91950

Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845

Hard Shell: 66861, 66862



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

## SUPERNOVA® 4" FULL-PATTERN LED STOP/TAIL/TURN LAMP



Encapsulant potting for total circuit board protection • Hermetic lens-to-housing seal • Advanced pin connection system uses tin-plated, solid brass pin terminations

### STOP/TAIL/TURN:

- 53312** Red, Grommet Mount, Male Pin
- 52162** Red, Grommet Mount, Male Pin 24 Volts
- 53322** Red, White Theft-Resistant Flange, Male Pin
- 53182** Red, Black Theft-Resistant Flange, Male Pin
- 53192** Red, Stainless Steel Theft-Resistant Flange, Male Pin
- 54562** Red, Grommet Mount, Hard Shell NEW

### 3 PIN REAR TURN:

- 53413** Yellow, Grommet Mount, Male Pin
- 53523** Yellow, Stainless Steel Theft-Resistant Flange, Male Pin
- 52163** Yellow, Grommet Mount, Male Pin 24 Volts

### FRONT PARK/TURN:

- 53313** Yellow, Grommet Mount, Male Pin



### 2 PIN REAR TURN:

- 55103** Yellow, Grommet Mount, Male Pin

Material: Acrylic / ABS  
 FMVSS: S / T / T - I, P2, S, T, Rear Turn - I; Front P / T - I, P  
 Finish: Red / Yellow  
 Volts / Amps: Red - 12V / .48A (I,S) / .04A (P2,T)  
 Volts / Amps: Rear Turn - 12V / .71A (I) / .14A (P2)  
 Volts / Amps: Front P/T - 12V / 1.06A (I) / .13A (P,P2)  
 Volts / Amps: Red - 24V / .2A (I,S) / .02A (P2,T)  
 Volts / Amps: Yellow - 24V / .34A (I) / .06A (P2)  
 Bracket: 93552, 43253, 92510, 92512, 92513, 43572, 43642, 43655, 43732, 93190, 93550, 93553, 93683  
 Grommet: 91740, 91950  
 Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845  
 Hard Shell: 66861, 66862




53312



53253



53182



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED



## SUPERNOVA® 4" NEXGEN™ LED STOP/TAIL/TURN

Less current draw than standard incandescent lamps, leaving more power available to other vehicle systems • Uses existing pigtailed and wiring for cost-effective retrofit • 20% less current draw than major competitor LED products • Fits all Grote bracket and grommet mounting options • Fully encapsulated circuitry for total circuit board protection • Similar look to incandescent light, which helps prevent theft

### STOP/TAIL/TURN:

54332	Red, Grommet Mount, Male Pin	
54462	Red, White Flange, Male Pin	
54472	Red, Gray Flange, Male Pin	
54482	Red, Black Flange, Male Pin	
54492	Red, Stainless Steel Flange, Male Pin	
54602	Red, Integrated Flange w/ Gasket, Male Pin	NEW
54362	Red, Grommet Mount, Hard Shell	
54572	Red, Integrated Flange w/ Gasket, Hard Shell	NEW
54582	Red, Integrated Flange w/ Gasket, Hardwire	NEW

### AUXILIARY:


54333	Yellow, Grommet Mount, Male Pin
54463	Yellow, White Flange, Male Pin
54473	Yellow, Gray Flange, Male Pin
54483	Yellow, Black Flange, Male Pin
54493	Yellow, Stainless Steel Flange, Male Pin
54363	Yellow, Grommet Mount, Hard Shell

### 2-PIN TURN LAMP:

54643	Yellow, Grommet Mount, Male Pin	NEW
54633	Yellow, Integrated Flange w/ Gasket, Male Pin	NEW

Material: Acrylic / ABS  
 FMVSS: S / T / T- I, P2, S, T- Auxiliary- P2  
 Finish: Red / Yellow  
 Volts / Amps: 12V / .24A (I,S) / .03A (T)  
 Bracket: 93552, 43253, 92510, 92511, 92512, 92513, 43572, 43642, 43655, 43732, 93190, 93550, 93683, 51090  
 Grommet: 91740, 91950  
 Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845; Hard Shell: 66861, 66862

LED



## HI COUNT® 4" LED STOP/TAIL/TURN LAMP

Standard female connection accepts all popular plug-in connectors  
 • Concentric, high-count diode design: 24 in red, 39 in yellow • Fits all popular mountings and grommets

### STOP/TAIL/TURN:

G4002	Red
G4002-5	Red <b>RETAIL</b>
G4022	Red, Clear Lens

### STOP/TAIL/TURN KIT:

G4012	Red (G4002 + 91740 + 67090)
-------	-----------------------------

### AUXILIARY:

G4003	Yellow
G4003-5	Yellow <b>RETAIL</b>


Material: ABS/ Acrylic  
 FMVSS: Red - I, P2, S, T; Yellow - Auxiliary  
 Finish: Red / Yellow  
 Volts / Amps: Red - 12V / .48A (I,S) / .04A (P2,T); Yellow - 12V / .71A (I)  
 Bracket: 93552, 43253, 92510, 92511, 92512, 92513, 43572, 43642, 43655, 43732, 93190, 93550, 93683, 51090  
 Grommet: 91740, 91950  
 Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090

## GROTE SELECT™ 4" LED STOP/TAIL/TURN

Faster light-on response time provides greater stopping alert distance than incandescent lamps • Longer life and less current draw than standard incandescent lamps leaves more voltage available to other vehicle systems • Uses existing pigtails and wiring for cost-effective retrofit • Similar look to incandescent light which helps prevent theft • Hermetic lens-to-housing seal prevents moisture intrusion

- 54342** Red, Female Pin
- 54343** Yellow, Female Pin

Material: ABS / Acrylic  
 FMVSS: S / T / T- I, P2, S, T; Auxiliary- P2  
 Finish: Red / Yellow  
 Volts / Amps: 12V / .24A (I,S) / .03A (T)  
 Bracket: 93552, 43253, 92510, 92511, 92512, 92513, 43572, 43642, 43655, 43732, 93190, 93550, 93553, 93683, 51090  
 Grommet: 91740, 91950  
 Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090



## TORSION MOUNT® II 4" STOP/TAIL/TURN LAMP

Torsion Mount® II Gel-Mount®, bulb cradle design • Heavy-duty bulb provides greater reliability • O-ring seal and male pin design reduce corrosion • Locking tabs ensure solid pigtail connection • 53100 lamp has clear back for interior illumination

### STOP/TAIL/TURN:

- 53102** Red, Male Pin
- 53102-5** Red, Male Pin RETAIL
- 53100** Red, Clear Housing, Male Pin
- 52770** Red, Clear Housing, Female Pin
- 52772** Red, Female Pin
- 52772-5** Red, Female Pin RETAIL
- 52152** Red, Female Pin 24V

### STOP/TAIL/TURN KIT:

- 53112** Red, Male Pin (53102 + 91740 + 67002)
- 52782** Red, Female Pin (52772 + 91740 + 67000)

### FRONT PARK/TURN:

- 53103** Yellow, Male Pin
- 52773** Yellow, Female Pin
- 52153** Yellow, Female Pin 24V

### SINGLE FUNCTION:

- 55572** Red, Female Pin
- 55573** Yellow, Female Pin


### BUILT-IN REFLECTOR:

- 52672** Red, Female Pin
- 52682** Red, Female Pin (52672 + 91740 + 67000)


Material: Polycarbonate  
 FMVSS: Red - I, P2, S, T; Yellow - I, P; 53100 - I, S, T  
 Finish: Red / Yellow  
 Bulb: 32/2 C.P.  
 Volts / Amps: Red - 12V / 2.1A (I,S) / .48A (P2,T)  
 Volts / Amps: Yellow - 12V / 2.1A (I) / .48A (P)  
 Bracket: 43572, 43253, 92510, 92512, 92513, 43642, 43655  
 Grommet: 91740, 91950  
 Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845; Female Pin: 66825, 67000, 66812, 66844, 66843, 66811, 67090



53102




53103



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional



## 4" ECONOMY STOP/TAIL/TURN LAMP

Standard female connection • Fits all competitive pigtails, brackets and grommets • Hermetic lens-to-housing seal

### STOP/TAIL/TURN:

<b>52922</b>	Red, Female Pin	
<b>52922-5</b>	Red, Female Pin	<b>RETAIL</b>
<b>52692</b>	Red, White Theft-Resistant Flange, Female Pin	
<b>53612</b>	Red, Gray Theft-Resistant Flange, Female Pin	


### STOP/TAIL/TURN KIT:

<b>53012</b>	Red, Female Pin (52922 + 91740 + 67090)	
<b>53012-5</b>	Red, Female Pin (52922 + 91740 + 67090)	<b>RETAIL</b>

### FRONT PARK/TURN:

<b>52923</b>	Yellow, Female Pin
--------------	--------------------

Material: Polycarbonate  
 FMVSS: Red - I, P2, S, T; Yellow - I, P  
 Finish: Red / Yellow  
 Bulb: 32/2 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.48A (T,P,P2)  
 Bracket: 43572, 92510, 92512, 92513  
 Grommet: 91740, 91950  
 Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090



## SUPERNOVA® 10-DIODE LED STOP/TAIL/TURN POWER MODULE WITH SIDEMARKER

Heavy-gauge steel plate and can • Pre-assembled with wiring • Uses SuperNova® 10-Diode Pattern 4" LED lamps • Exceeds SAE J914, Nov. '87  
 • Includes reflector

<b>51002</b>	Red, Male Pin, RH
<b>51012</b>	Red, Male Pin, LH


Material: Steel, Acrylic, ABS  
 FMVSS: A, I, P2, S, T  
 Finish: Gray/Red  
 Volts / Amps: 12V / .24A (I,S)/.06A (P2)/.03A (T)  
 Accessory: Lamp: S/T/T 53252; Marker 47092  
 Bracket: 51020 - RH, 51030 - LH  
 Grommet: 91740

## STOP/TAIL/TURN 4" LAMP POWER MODULE

Heavy-gauge steel plate and can • Torsion Mount® II 4" round sealed lamps  
 • Right or left hand application • Includes reflector

<b>51052</b>	Red
--------------	-----

Material: Steel, Polycarbonate  
 FMVSS: A, I, P2, S, T  
 Finish: Gray/Red  
 Bulb: 32/2 CP  
 Volts / Amps: 12V / 2.1A (I)/2.1A (S)/.48A (P2)/.48A (T)  
 Accessory: Lamp: S/T/T - Red 52922  
 Bracket: 51090  
 Grommet: 91740




## STOP/TAIL/TURN 4" LAMP POWER MODULE WITH SIDEMARKER

Heavy-gauge steel plate and can • Includes reflector

**51022** Red, RH  
**51032** Red, LH

Material: Steel, Polycarbonate  
 FMVSS: A, I, P2, S, T  
 Finish: Gray  
 Bulb: S/T/T - 32/2 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.48A (P2,T)  
 Bulb: Sidemarker - (2) 2 CP  
 Volts / Amps: 12V / .54A (P2)  
 Accessory: Lamps: S/T/T 52922; Marker 46742  
 Bracket: 51020 - RH, 51030 - LH  
 Grommet: 91740




## POWER UNIT MODULE

Heavy-gauge steel plate and can • Torsion Mount® II 4" round female pin S/T/T lamps • Pre-assembled wiring harness and 5-way connector  
 • Includes reflector

**50820** Female Pin Lamps

Material: Steel, Polycarbonate  
 FMVSS: A, I, L, R, S, T  
 Finish: Black  
 Bulb: S/T/T - 32/2 CP  
 Volts / Amps: 12V - 4.2A (I,S)/.96A (P2,T)  
 Bulb: Backup - (2) 32 CP  
 Volts / Amps: 12V / 2.1A (R)  
 Bulb: License - 2 CP  
 Volts / Amps: 12V / .66A (L)  
 Accessory: Lamp: S/T/T - Female Pin 52772; Backup - Female Pin 62271;  
 License - 60291; License Bracket 43780; Reflector - 40092; Grommet: 91740




## FIELD RESEALABLE STAINLESS STEEL LAMP

Electro-polished stainless steel body • Torsion Mount® bulb cradle design  
 • Polycarbonate lens

**DOUBLE CONTACT:**


**52612** Red

Material: Stainless Steel/Polycarbonate  
 FMVSS: I, P2, P3, S, T  
 Finish: Red / Stainless  
 Bulb: #1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,P3,T)  
 Pigtail: 68130  
 Lens: 90762



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional




## PLASTIC HOUSING LAMP

Snap-ring lens application • 2-wire pigtail

### DOUBLE CONTACT:

**50222** Red

Material: Polypropylene/Acrylic  
 FMVSS: I, P2, P3, S, T  
 Finish: Red / Black  
 Bulb: #1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,P3,T)  
 Accessory: Snap Ring 99593  
 Pigtail: 68130  
 Lens: Red 90012




## RUBBER HOUSING LAMP

Lens held in by rubber flange • Standard exterior wiring • Brass eyelets in two mounting holes

### DOUBLE CONTACT:

**50502** Red

Material: Rubber/Acrylic  
 FMVSS: I, P2, P3, S, T  
 Finish: Red / Black  
 Bulb: #1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,P3,T)  
 Pigtail: 68150  
 Lens: Red 90012




## ECONOMY STAINLESS STEEL LAMP

Easy snap-on lens • Rugged stainless steel construction

### DOUBLE CONTACT:

**52522** Red

Material: Stainless Steel/Polycarbonate  
 FMVSS: I, P2, P3, S, T  
 Finish: Red / Stainless  
 Bulb: #1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,P3,T)  
 Pigtail: 68150  
 Lens: Red 90762



## ECONOMY STEEL LAMP

Rugged steel construction • Easy snap-on lens

### DOUBLE CONTACT:

**50232** Red

**50232-5** Red **RETAIL**

### SINGLE CONTACT:

**55092** Red

Material: Steel / Acrylic  
 FMVSS: Double - I, P2, P3, S, T; Single - I, S  
 Finish: Red / Black  
 Bulb: #1156, 32 CP  
 Volts / Amps: 12 V - 2.1(I,S)/.59A(T)  
 Bulb: #1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,P3,T)  
 Accessory: Snap Ring 99595  
 Pigtail: 68130, 68150  
 Lens: Red 90012

## SUPERNOVA® OVAL LED STOP/TAIL/TURN LAMP

Advanced pin connection system uses tin-plated, solid brass terminals

- Encapsulant potting for total circuit board protection
- Male pin connection for maximum moisture and corrosion protection
- Meets specifications for vertical and horizontal mounting

### STOP/TAIL/TURN:

<b>53962</b>	Red, Grommet Mount
<b>53592</b>	Red, Gray Theft-Resistant Flange
<b>53622</b>	Red, Black Theft-Resistant Flange
<b>53972</b>	Red, Stainless Steel Theft-Resistant Flange
<b>52072</b>	Red, Grommet Mount <b>24 Volt</b>

### STOP/TAIL/TURN KIT:

<b>53122</b>	Red (53962 + 92420 + 67005)
--------------	-----------------------------

### AUXILIARY:

<b>53963</b>	Yellow, Grommet Mount
<b>53593</b>	Yellow, Gray Theft-Resistant Flange
<b>53623</b>	Yellow, Black Theft-Resistant Flange
<b>53973</b>	Yellow, Stainless Steel Theft-Resistant Flange
<b>52073</b>	Yellow, Grommet Mount <b>24 Volt</b>

### AUXILIARY KITS:

<b>53123</b>	Yellow (53963 + 92420 + 67005)
--------------	--------------------------------

Material: ABS/Acrylic

FMVSS: Red - I, P2, S, T; Yellow - P2

Finish: Red / Yellow

Volts / Amps: Red - 12V / .48A (I,S) / .06A (T)

Volts / Amps: Yellow - 12V / .48A

Volts / Amps: Red - 24V / .48A (I,S) / .06A (T)

Volts / Amps: Yellow - 24V / .48A




Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103, 43172; Grommet: 92420, 92720

Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845;

Male Pin 2-Wire: 66842, 67013, 66846, 66016



LED



## SUPERNOVA® 9-DIODE OVAL LED STOP /TAIL/TURN LAMP

Available in Grote OEM male pin, hard shell and, hardwired connection options for easy retrofit or replacement

- Electronics completely encapsulated with durable epoxy for maximum protection from the environment
- Fits current mounting flanges and grommets

<b>54132</b>	Red, Male Pin
<b>54133</b>	Yellow, Male Pin
<b>54142</b>	Red, Hard Shell
<b>54143</b>	Yellow, Hard Shell

Material: ABS/Acrylic

FMVSS: I6, P, S, T, P2

Finish: Red/Yellow

Volts / Amps: 13.5V / .02A (T) / .14A (I,S)


Accessory: Chrome Bezel 42153

Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103



Grommet: 92420, 92720

Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845

Hard Shell: 66861, 66862



LED






# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED



## SUPERNOVA® NEXGEN™ OVAL LED STOP/TAI/TURN LAMP

Available in Grote male pin and hardwire for retrofit or replacement

- Electronics encapsulated with durable epoxy for maximum protection from the environment
- Fits current mounting flanges and grommets

### STOP/TAI/TURN:


**54162** Red, Male Pin

### AUXILIARY:

**54163** Yellow, Male Pin

Material: ABS/Acrylic  
 FMVSS: I6, P, S, T, P2  
 Finish: Red/Yellow  
 Volts / Amps: 13.5V / .02A (T)/.14A (I,S)  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103  
 Grommet: 92420, 92720  
 Pigtail: 66815, 67002, 66841, 66816, 67005, 66845

LED




## HI COUNT® 56-DIODE OVAL LED STOP/TAI/TURN LAMP

Female pin connection accepts all popular plug-in connectors • Fits same connections as female incandescent lamps • Lower amp draw of LEDs allows use of more lamps without draining vehicle power • LEDs provide faster stop warning for trailing vehicles

**G6002** Red  
**G6002-5** Red RETAIL  
**G6003** Yellow  
**G6003-5** Yellow RETAIL  
**G6012** Red, Clear Lens  
**G6013** Yellow, Clear Lens

Material: Polycarbonate  
 FMVSS: I, S, T, P, P2  
 Finish: Red / Yellow  
 Volts / Amps: 12V / .43A (I,S)/.05A (T)  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103  
 Grommet: 92420, 92720  
 Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090

LED



## GROTE SELECT™ OVAL LED STOP/TAI/TURN LAMP

Encapsulent potting protects against moisture, vibration, and corrosion

- Fits current mounting flanges and grommets
- Female pin connection accepts all popular connectors

### STOP/TAI/TURN:

**54172** Red

### AUXILIARY:

**54173** Yellow

Material: ABS/Acrylic  
 FMVSS: I6, P, S, T, P2  
 Finish: Red/Yellow  
 Volts / Amps: Red 12V / .48A (I,S)/.04A (P2, T)  
 Volts / Amps: Yellow 12V / .71A (I)  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103  
 Grommet: 92420, 92720  
 Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090

# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

61

STOP/TAIL/TURN LAMPS

## TORSION MOUNT® III OVAL STOP/TAILO/TURN LAMP

Torsion Mount® III, Gel-Mount® bulb cradle design minimizes bulb vibration

- Locking tabs ensure solid pigtail connection

### STOP/TAILO/TURN:

<b>52562</b>	Red, Male Pin
<b>52892</b>	Red, Female Pin
<b>52892-5</b>	Red, Female Pin <b>RETAIL</b>

### STOP/TAILO/TURN KIT:

<b>52582</b>	Red, Male Pin (52562 + 92420 + 67002)
<b>52572</b>	Red, Female Pin (52892 + 92420 + 67000)

### FRONT PARK/TURN:

<b>52563</b>	Yellow, Male Pin
<b>52893</b>	Yellow, Female Pin
<b>52893-5</b>	Yellow, Female Pin <b>RETAIL</b>

### FRONT PARK/TURN KIT:

<b>52573</b>	Yellow, Female Pin (52893 + 92420 + 67000)
--------------	--

### TURN LAMPS:

<b>55772</b>	Red, Female Pin
<b>55773</b>	Yellow, Female Pin

Material: Polycarbonate

FMVSS: Red - I, P2, S, T; Yellow - I, P

Finish: Red / Yellow

Bulb: 32/3 CP



Volts / Amps: 12V / 2.1A (I,S)/.59A (P,P2,T)

Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103

Grommet: 92420, 92720

Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845;

Female Pin: 66825, 67000, 66812, 66844, 66843, 66811, 67090



## ECONOMY OVAL STOP/TAILO/TURN

Female pin connection • Available in both red and amber

### STOP/TAILO/TURN:

<b>52182</b>	Red
<b>52182-5</b>	Red <b>RETAIL</b>

### STOP/TAILO/TURN KIT:

<b>53092</b>	Red (52182 + 92420 + 67090)
--------------	-----------------------------

### FRONT PARK/TURN:

<b>52183</b>	Yellow
<b>52183-5</b>	Yellow <b>RETAIL</b>

### FRONT PARK/TURN KIT:

<b>53093</b>	Yellow (52183 + 92420 + 67090)
--------------	--------------------------------

Material: Polycarbonate

FMVSS: Red - I, P2, S, T; Yellow - I, P

Finish: Red/Yellow


Bulb: 32/3 C.P.

Volts / Amps: 12V / 2.1A (I,S)/.59A (P,P2,T)

Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103

Grommet: 92420, 92720

Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090



grote.com


Grote

61

# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED




## SUPERNOVA® SURFACE MOUNT LED SIDE TURN/MARKER LAMP

50 state legal, meets SAE J914 E/E2 and California Title 13 • Meets California Title 13 requirements • Lamp is visible from driver's rearview mirror while flashing • Metal-core circuit board dissipates heat from electronic components to extend LED life • Durable screw bosses withstand excessive screw torque without cracking • Industry-standard 122.2-mm mounting for easy retrofits

**53493** Yellow

Material: Polycarbonate  
FMVSS: Optic - E, E2, P2  
Finish: Yellow  
Volts / Amps: 12V / .35A (E/E2) / .82A (P2)  
Pigtail: 66905, 66904, 66900

LED






Integrated Flange



Grommet Mount

Surface Mount



## SUPERNOVA® OVAL LED SIDE TURN/MARKER LAMPS

Flashing turn signal is visible to driver during operation • Available in recessed grommet/flange, surface, and integral flange mount versions • Male pin and hard shell connection options • 50 state legal, meets SAE J914 E/E2 and California Title 13 • Single circuit board and single reflector component design

### GROMMET MOUNT:

<b>54183</b>	Yellow, Male Pin	<b>NEW</b>
<b>54193</b>	Yellow, Hard Shell	<b>NEW</b>
<b>54253</b>	Yellow, Male Pin, w/ Black Theft-Resistant Flange	<b>NEW</b>
<b>54263</b>	Yellow, Male Pin, w/ Stainless Steel Theft-Resistant Flange	<b>NEW</b>
<b>54243</b>	Yellow, Male Pin, w/ Gray Theft-Resistant Flange	<b>NEW</b>

### INTERGRATED FLANGE MOUNT:

<b>54203</b>	Yellow, Male Pin	<b>NEW</b>
<b>54213</b>	Yellow, Hard Shell	<b>NEW</b>

### SURFACE MOUNT:

<b>54223</b>	Yellow, Male Pin	<b>NEW</b>
<b>54233</b>	Yellow, Hard Shell	<b>NEW</b>

Material: Polycarbonate  
FMVSS: Optic - E, E2, P2  
Finish: Yellow  
Volts / Amps: 13.5V / .45A / .06A  
Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103  
Grommet: 92420, 92720  
Pigtail: Male Pin: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845  
Hard Shell: 66861, 66862

## LED HYBRID SIDE TURN/MARKER LAMP


Hybrid LED/Incandescent technology provides a low cost-to-life ratio with an incandescent flashing function and an LED marker • 1,200-hour, field-replaceable midturn bulb • Vent filters in housing expel water vapor when lamp is lit to prevent water pooling inside lamp • Foam gasket provides protection against moisture intrusion • Sealed Packard® style connector minimizes potential failure points associated with conventional pigtail connections • Used on Navistar® vehicles

**52423** Yellow

Material: Polycarbonate  
 FMVSS: E, E2, P2  
 Finish: Yellow  
 LED: Volts / Amps: 12V / .06A (P2)  
 Bulb: 3156K, 32 C.P.; Volts / Amps: 12V / 2.1A (E, E2)  
 Pigtail: 66826



LED



## TORSION MOUNT™ III OVAL SIDETURN/MARKER LAMP

Torsion Mount® III, Gel-Mount® bulb cradle design minimizes bulb vibration • Extended dome for added visibility from front and rear • Fits standard oval lamp grommets and brackets • Contains reflex reflector • Exceeds SAE J914, Nov. '87

### SIDE TURN/MARKER:

**52533** Yellow, Male Pin  
**52513** Yellow, Female Pin


### SIDE TURN/MARKER KIT:

**52553** Yellow, Male Pin (52533 + 92420 + 67002)  
**52543** Yellow, Female Pin (52513 + 92420 + 67000)

### SIDE MARKER:

**52512** Red, Female Pin

Material: Polycarbonate  
 FMVSS: A, E, P2, P3  
 Finish: Red, Yellow  
 Bulb: 32/3 C.P.; Volts / Amps: 12V / 2.1A (E)/.59A (P2,P3)  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103  
 Grommet: 92420, 92720  
 Pigtail: Male Pin: 66815, 67002, 66841, 66816, 67005, 66845  
 Female Pin: 66825, 67000, 66812, 66844, 66843, 66811, 67090



## ECONOMY OVAL SIDE TURN/MARKER LAMP


Hermetic lens-to-housing seal • Vibration resistant bulb mounting system • Standard female pin connection

**52193** Yellow

### KITS:


**52253** Yellow (52193 + 92420 + 67090)

Material: Polycarbonate  
 FMVSS: A, E, P2  
 Finish: Yellow  
 Bulb: 32/2 CP  
 Volts / Amps: 12V / 2.1A (E)/.48A (P2)  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43100, 43723, 42152, 42153, 42103  
 Grommet: 92420, 92720  
 Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional



## SMALL AERODYNAMIC COMBINATION MARKER/SIDE TURN LAMP

One-way check valve expels water • High-impact base, polycarbonate lens  
 • Uses reliable #3157, wedge base bulb • Retrofits to Sentry lamp 53063 and 53163 • Great upgrade/replacement on Freightliner® midturn lamps  
 • Exceeds SAE J2039 June '94

### SIDE TURN/MARKER:

**52023** Yellow, Black Base  
**52063** Yellow, White Base


### SIDE MARKER:

**52062** Red, White Base

Material: Polycarbonate  
 FMVSS: Red - P2, PC; Yellow - E, P2  
 Finish: Red / Yellow  
 Bulb: #3157, 32/2 CP  
 Volts / Amps: 12V / 2.1A (E)/.59A (P2,P3,PC)  
 Pigtail: 66905, 66904, 66900, 66901, 66920, 66903  
 Lens: Red 92892, Yellow 92893



53833



## OEM SIDE TURN MARKER LAMP

Surface mount lamp • Combination turn signal and side marker (53853 only)  
 • 4 1/2" mounting holes • Lens hermetically sealed to the base  
 • Includes Packard connector and mounting pad


### SIDE TURN:

**53833** Yellow, Sealed

### SIDE TURN/MARKER:

**53853** Yellow, Bulb Replaceable

Material: Polycarbonate  
 FMVSS: 53853 - E, P2 / 53833 - E  
 Finish: Yellow  
 Bulb: 53833- #3156, 26 Watts  
 Volts / Amps: 12.8V / 2.1A  
 Bulb: 53853 - P27/7W  
 Volts / Amps: 12.8V - 14.0V / 2.1A - .59A



## SENTRY SEALED COMBINATION MARKER/SIDE TURN LAMP

High-impact base • Uses male pin connection; accepts UBS pigtail • Not recommended for rear of vehicles in padded dock applications • Yellow exceeds SAE J914 Nov. '87 • Sentry lamp is available only from Grote Industries

### SIDE MARKER:

**53062** Red, White Base

### SIDE TURN/MARKER:

**53063** Yellow, White Base

### SIDE TURN:

**53163** Yellow, Black Base


Material: Polycarbonate  
 FMVSS: 53163 - E2; 53063 - E2, P2  
 Finish: Red / Yellow  
 Bulb: #1141, Single Function - 21 CP  
 Volts / Amps: 12V / 1.34A (E2)  
 Bulb: #1016, Multi-Function - 21/6 CP  
 Volts / Amps: 12V / 1.34A (E2)/.59A (P2)  
 Pigtail: Multi-Function - 66905, 66900, 66903, 66904  
 Single Function - 66902, 66920

## SENTRY SUPPLEMENTAL HIGH MOUNT STOP LAMP

Application for vehicles over 80" only • High-impact base • Single filament bulb • Not recommended for rear of vehicle in padded dock applications • Must be used in conjunction with a legal CHMSL

**54012** Red

Material: Polycarbonate  
 FMVSS: U  
 Finish: Red  
 Bulb: 21 CP  
 Volts / Amps: 12V / 1.34A  
 Pigtail: 66902



## FONTAINE® REVOLUTION LED LAMP SYSTEM


Unique and innovative lighting system developed for Fontaine® Trailers  
 • Stop, tail, turn system utilizes one lamp that can be rotated for left-hand or right-hand installations

**01-5445-71** S/T/T Lamp LH/RH  
**01-5444-71** High Mount Stop/Turn Clearance or ID Lamp

Material: Acrylic/ABS  
 FMVSS: I, P2, S, T (STT), P2, U (CHMSL)  
 Finish: Red  
 Volts / Amps: 01-5444-71 - 12V / .03A / .21A  
 Volts / Amps: 01-5445-71 - 12V / .127A / .21A / .21A



LED



## SUPERNOVA® TURTLEBACK® II LED HIGH-MOUNT STOP/TURN AND MARKER LAMP


Lamp functions as a marker, clearance, ID, and supplemental high-mount stop or turn lamp • Supplemental high-mount function provides greater visibility in a location that normally serves as an ID function or clearance function  
 • Sealed Turtleback® II lens profile makes lamp more durable and impact resistant • Circuit board coated with encapsulant potting provides protection from vibration, corrosion and moisture • Three-wire connection

**54002** Red

Material: Polycarbonate  
 FMVSS: P2, U  
 Finish: Red  
 Volts / Amps: 12V / .25A (U)/.025A (P2)  
 Bracket: 43030, 43050  
 Pigtail: 66815, 67002, 66841, 66816, 67005, 66845




LED



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED



## HI COUNT® RECTANGULAR LED STOP/TAIL/TURN LAMP

15 Diodes • Vertical or horizontal mount • Hermetically sealed polycarbonate lens and body • Standard female pin connection provides easy retrofits • LED instant-on feature provides early stop warning for trailing motorists • Yellow lens meets photometric requirements for front park and turn • Potted circuit board protects against vibration and corrosion

**G4502** Red  
**G4503** Yellow

Material: Polycarbonate  
FMVSS: I, P2, S, T  
Finish: Red / Yellow  
Volts / Amps: Red - 12V / .50A (I,S)/.07 (P2,T)  
Volts / Amps: Yellow - 12V / .52A (I)/.09A (P)  
Bracket: 43212  
Grommet: 94180  
Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090

## RECTANGULAR STOP/TAI/TURN LAMP


Rubber shock mounted bulb socket • Hermetic lens-to-housing sealed lamp • Industry standard female pin connection

**STOP/TAI/TURN LAMP (DOUBLE CONTACT):**

**52202** Red

**PARK/TURN LAMP (DOUBLE CONTACT):**

**52203** Yellow




Material: Polycarbonate  
FMVSS: 52202 - I, P2, S, T; 52203 - I, P  
Finish: Red / Yellow  
Bulb: 32/2 CP  
Volts / Amps: 52202 - 12V / 2.1A (S,I)/.48A (P2,T)  
Volts / Amps: 52203 - 12V / 2.1A (I)/.48A (P)  
Bracket: 43212  
Grommet: 94180  
Pigtail: 66825, 67000, 66812, 66844, 66843, 66811, 67090

## RECTANGULAR SURFACE MOUNT TURN LAMP

Double-filament bulb provides park and turn function • 3 1/2" mounting centers • Less than 75 sq. cm lens area • For use on vehicles less than 80" wide

**53132** Red  
**53133** Yellow

Material: Steel/Polycarbonate  
FMVSS: Red - I, S, T; Yellow - I, P  
Finish: Red / Yellow  
Bulb: #2057, 32/2 CP  
Volts / Amps: 12V / 2.1A (I,S)/.48A (P,T)



## SUPERNOVA® THREE-STUD METRI-PACK® LED STOP/TAIL/TURN LAMP

SuperNova® single-LED technology in both the S/T/T and license function


- Encapsulant potting for total circuit board protection
- Replaces GM® 15613944 and 15565732 (53630), 15613943 and 15565731 (53640)
- LED replacement for Navistar® 1661282C91 (53630)
- Includes reflex reflector

**53630** Red, RH  
**53640** Red, LH w/ License Window

Material: Polycarbonate  
 FMVSS: A, I, L, (2)R, S, T  
 Finish: Red  
 Bulb: 1156 32CP (L)  
 Volts / Amps: 12V / 2.1A (R2)/.35A (I,S)/.16A (L,T)  
 Bracket: 43842  
 Pigtail: 68680  
 Lens: 91302



LED



## SUPERNOVA® THREE-STUD METRI-PACK® LED STOP/TAIL/TURN LAMP WITH DOUBLE CONNECTOR

Features Grote's latest SuperNova® single-LED technology in both the S/T/T and license function


- Encapsulant potting for total circuit board protection
- LED replacement for Navistar® 1661281C91
- Backup function remains incandescent
- Includes reflex reflector

**WITH LICENSE LAMP:**  
**53650** Red

Material: Polycarbonate  
 FMVSS: A, I, L, (2)R, S, T  
 Finish: Red  
 Bulb: 1156 32CP (L)  
 Volts / Amps: 12V / 2.1A (R2)/.35A (I,S)/.16A (L,T)  
 Bracket: 43842  
 Pigtail: 68680  
 Lens: 91302



LED



## SUPERNOVA® THREE-STUD LED STOP/TAIL/TURN LAMP

SuperNova® single-LED technology in both the S/T/T and license functions


- Encapsulant potting for total circuit board protection
- Replaces Chevrolet®/GMC® 370867 and 370868
- Replaces Jeep® SF5457197 and SF5457198
- Replaces Peterbilt® 16-02600R and 16-02600L
- Backup function remains incandescent
- Includes reflex reflector

**50920** Red w/ License Window

Material: Polycarbonate  
 FMVSS: A, I, L, (2)R, S, T  
 Finish: Red  
 Bulb: 1156 32CP (L)  
 Volts / Amps: 12V / 2.1A (R2)/.35A (I,S)/.16A (L,T)  
 Bracket: 43842  
 Lens: 91302



LED






# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED



## HI COUNT® LED STOP/TAIL/TURN LAMP

All functions utilize LED technology • Gasket between lens and housing protects against moisture intrusion • Potted circuit board protects against vibration and corrosion • Sidemarker version directly replaces Jeep® Wrangler® lamps through 2006 • Sidemarker version features circuit board protection that is compatible with the existing flasher technology • 3 stud mounting design incorporates ground function • Sidemarker version has 16 stop/tail/turn diodes, 22 backup diodes, 4 license diodes and 2 sidemarker diodes • Standard version has 16 stop/tail/turn diodes, 22 backup diodes and 4 license diodes • Mounting hardware and instructions included for easy installation / retrofit • Includes reflex reflector

### WITH SIDEMARKER:

**G5202** Red, RH w/ Sidemarker  
**G5212** Red, LH w/ License Window & Sidemarker

### WITHOUT SIDEMARKER:

**G5082** Red, RH RETAIL  
**G5082-5** Red, RH RETAIL  
**G5092** Red, LH w/ License Window RETAIL  
**G5092-5** Red, LH w/ License Window RETAIL

Material: Polycarbonate/Acrylic  
 FMVSS: RH - A, I, (2)R, S, T; LH - A, I, L, R2, S, T  
 Finish: Red  
 Volts / Amps: LH w/o Sidemarker - 12V / .21A (I,S)/.34A (R2)/.12A (L)  
 Volts / Amps: RH w/o Sidemarker - 12V / .21A (I,S)/.34A (R2)/.06A (T)  
 Volts / Amps: LH w/ Sidemarker - 12V / 1.4A (I,S)/.34A (R2)/.12A (T,L)  
 Volts / Amps: RH w/ Sidemarker - 12V / 1.4A (I,S)/.34A (R2)/.06A (T)  
 Bracket: 43842




## THREE-STUD METRI-PACK® STOP/TAIL/TURN LAMP

Replaces GM® 15613943 and 15565731 • Features a license window  
 • Metri-Pack® connector on right side • Includes reflex reflector

**53702** Red, RH w/ License Window  
**53712** Red, LH w/ License Window

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, L, R2, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP; Volts / Amps: 12V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP; Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
 Bracket: 43842  
 Pigtail: 68680  
 Lens: Red 91302




## FORD® STOP/TAIL/TURN BOX LAMPS

Junction box with Ford® OEM connector • Features a license window  
 • Ford® Drivers Side: F4HZ 13404 A • Ford® Passengers Side: F4HZ 13405 A • Includes reflex reflector

**53782** Red, RH w/ License Window  
**53792** Red, LH w/ License Window

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, L, P2, (2)R, S, T  
 Finish: Red  
 Bulb: 3157, 32 CP; Volts / Amps: 12V / 2.1A (R2)  
 Bulb: 3157, 32/3 CP; Volts / Amps: 12V / 2.1A (I,S) / .59A (T,L,P2)  
 Bracket: 43842  
 Pigtail: 01-6868-82  
 Lens: Red 91302




## TWO-STUD METRI-PACK® STOP/TAIL/TURN LAMP WITH SINGLE CONNECTOR

Features a license window • Metri-Pack® connector on left side  
 • Replaces Mack® 14M052M • Includes reflex reflector

**53722** Red

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, L, (2)R, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP; Volts / Amps: 12V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP; Volts / Amps: 12V / 2.1 (I,S)/.59A (T,L)  
 Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
 Pigtail: 68680  
 Lens: Red 91302




## THREE-STUD METRI-PACK® STOP/TAIL/TURN LAMP WITH DOUBLE CONNECTOR

Features a license window • Metri-Pack® connectors on both sides  
 • Replaces Navistar® 1661281C91 • Includes reflex reflector

**53762** Red

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, L, (2)R, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
 Bracket: 43842  
 Pigtail: 68680  
 Lens: Red 91302




## TORSION MOUNT® UNIVERSAL STOP/TAIL/TURN LAMP

6-in-1 lamp • Four screw posts in junction box • Fits all 3-stud mounting on heavy duty trucks • Includes reflex reflector

**52902** Red, RH w/ License Window

**52912** Red, LH w/ License Window

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, L, (2)R, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
 Bracket: 43842  
 Lens: Red 91302



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

## TORSION MOUNT® THREE-STUD GMC® STOP/TAILOTURN LAMP

Junction box with quick splice or ring connectors • Replaces GMC® 715103 or 2063933 (RH) • Replaces GMC® 715104 or 2063931 (LH) • Includes reflex reflector and wire cover

**50902** Red, RH w/ License Window

**50912** Red, LH w/ License Window

Material: Polycarbonate/Acrylic

FMVSS: A, I, L, R2, S, T


Finish: Red

Bulb: 1156, 32 CP; Volts / Amps: 12V / 2.1A (R2)

Bulb: 1157, 32/3 CP; Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)

Bracket: 43842

Lens: Red 91302



## TORSION MOUNT® THREE-STUD NAVISTAR®/VOLVO® STOP/TAILOTURN LAMP

Replaces LH Navistar® 424537-C91 and 424538-C91 • Replaces RH Volvo® 83701-0002 • Replaces RH Navistar® 424539-C91 • Replaces LH Volvo® 83702-0002 • Includes reflex reflector and wire cover

**50942** Red, RH w/ License Window

**50952** Red, LH w/ License Window

Material: Polycarbonate/Acrylic

FMVSS: A, I, L, R2, S, T



Finish: Red

Bulb: 1156, 32 CP; Volts / Amps: 12V / 2.1A (R2)

Bulb: 1157, 32/3 CP; Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)

Bracket: 43842

Lens: Red 91302



## TORSION MOUNT® TWO-STUD MACK®/DODGE® STOP/TAILOTURN LAMP

Fits both right hand and left hand • Includes OE 39" pigtail with ring terminal • Replaces Mack® 14M0444RP1 and 14M0444RP4 shock mount • Features a license window • Includes reflex reflector

**50992** Red

Material: Polycarbonate/Acrylic

FMVSS: A, I, L, R2, S, T


Finish: Red

Bulb: 1156, 32 CP; Volts / Amps: 12V / 2.1A (R2)

Bulb: 1157, 32/3 CP; Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)

Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842

Lens: Red 91302




## THREE-STUD PETERBILT®/CHEVROLET®/ JEEP®/GMC® STOP/TAILOTURN LAMP WITH PIGTAIL

Replaces Peterbilt® 16-02600R and 16-02600L • Replaces Chevrolet®/ GMC® 370867 and 370868 • Replaces Jeep® SF5457197 and SF5457198  
 • Features license window • Includes reflex reflector

**50972** Red w/ License Window  
**50972-5** Red w/ License Window

RETAIL

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, L, R2, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12 V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
 Bracket: 43842  
 Lens: Red 91302



## THREE-STUD, CHEVROLET®/FORD®/ JEEP® STOP/TAILOTURN LAMP WITH SIDE MARKER LAMP AND MOLDED PIGTAIL TERMINATION

Round molded terminals • Replaces Chevrolet®/GMC® 477331 and 477332 (RH) • Replaces Jeep® SF5758255 and SF5758254 (LH)  
 • Features sidemarkers • Includes reflex reflector

WITHOUT LICENSE WINDOW:

**52802** Red, RH

WITH LICENSE WINDOW:

**52812** Red, LH

Material: Polycarbonate/Acrylic  
 FMVSS: RH - A, I, P2, R2, S, T; LH - A, I, L, P2, R2, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP; Volts / Amps: 12V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP; Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
 Bracket: 43842  
 Lens: Red 91302



## TORSION MOUNT® TWO-STUD DODGE® STOP/TAILOTURN LAMP WITH SIDE MARKER LAMP AND MOLDED PIGTAIL TERMINATION

Replaces Dodge® 4114562 (RH) • Replaces Dodge® 4114561 and 4114563 (LH) • Includes reflex reflector


WITHOUT LICENSE WINDOW:

**52822** Red, RH

WITH LICENSE WINDOW:


**52832** Red, LH

Material: Polycarbonate/Acrylic  
 FMVSS: RH - A, I, P2, R2, S, T; LH - A, I, L, P2, R2, S, T  
 Finish: Red  
 Bulb: 1156, 32 CP; Volts / Amps: 12 V / 2.1A (R2)  
 Bulb: 1157, 32/3 CP; Volts / Amps: 12 V / 2.1(I,S)/.59A (T,L)  
 Bulb: 193; Volts / Amps: 12V / .33A(P2)  
 Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
 Lens: Red 91302



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional




## TORSION MOUNT® TWO-STUD DODGE® STOP/TAI/TURN LAMP

Standard mount pigtail • Replaces Dodge® truck 3895020 and 3895021  
• Features license window • Includes reflex reflector

**52602** Red

Material: Polycarbonate/Acrylic  
FMVSS: A, I, L, R2, S, T  
Finish: Red  
Bulb: 1156, 32 CP  
Volts / Amps: 12V / 2.1A (R2)  
Bulb: 1157, 32/3 CP  
Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
Lens: Red 91302




## TWO-STUD FORD® STOP/TAI/TURN LAMP WITH PIGTAIL AND MOLDED PLUG

Studs on 1 3/4" centers • Retrofits Ford® OEM C7TZ13404C, D0TZ13404A, D3KZ13404A, D3TZ13403B, E2TB13404A, E2TB13405A • Features license window • Includes reflex reflector

**52972** Red

Material: Polycarbonate/Acrylic  
FMVSS: A, I, L, R2, S, T  
Finish: Red  
Bulb: 1156, 32 CP  
Volts / Amps: 12 V / 2.1A (R2)  
Bulb: 1157, 32/3 CP  
Volts / Amps: 12V / 2.1A (I,S)/.59A (T,L)  
Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
Lens: Red 91302



## 4" TWO-STUD STOP/TAI/TURN LAMP

Snap-on lens • Rubber compression-sealed pigtail • Removable studs for school bus application

### WITH LICENSE WINDOW:

**50852** Red


**50852-5** Red **RETAIL**

### WITHOUT LICENSE WINDOW:

**50862** Red

**50862-5** Red **RETAIL**

Material: Polycarbonate/Acrylic  
 FMVSS: I, L, P2, S, T  
 Finish: Red  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,T,L)  
 Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
 Pigtail: 68150  
 Lens: Red 90232



## 4" UNIVERSAL MOUNT STOP/TAI/TURN LAMP


2-screw lens • Less than 75 sq. cm. of effective, projected luminous lens area • Rubber compression-sealed pigtail • Features license window • For use on vehicles less than 80" wide

### WITH LICENSE WINDOW:

**50872** Red

**50872-5** Red **RETAIL**

Material: Polypropylene/Acrylic  
 FMVSS: I, L, P2, S, T  
 Finish: Red  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (L,P2,T)  
 Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
 Pigtail: 68150  
 Lens: Red 91482



## 4" STEEL TWO-STUD MOUNT STOP/TAI/TURN LAMP

Less than 75 sq. cm. of effective, projected luminous lens area • Heavy-gauge, formed steel body • Rubber compression-sealed pigtail • For use on vehicles less than 80" wide


### WITH LICENSE WINDOW:

**50882** Red

### WITHOUT LICENSE WINDOW:

**50892** Red


Material: Steel/Acrylic  
 FMVSS: 50882 - I, L, P2, S, T; 50892 - I, P2, S, T  
 Finish: Red  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (L,P2,T)  
 Bracket: 43262-5, 43022, 43022-5, 43272, 43272-5, 43842  
 Pigtail: 68150  
 Lens: Red 90252



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED



## HI COUNT® DOUBLE-FACE LED STOP/TAIL/TURN LAMP WITH SIDEMARKER

Attractive multiple diode design • 2-stud mounting bolts • 25 diodes on either front or back with two diodes in the sidemarker • Attached three-wire harness • Includes reflex reflector

**G5530** Red and Yellow, LH

**G5530-5** Red and Yellow, LH

**G5540** Red and Yellow, RH

**G5540-5** Red and Yellow, RH

**G5543-5** Yellow and Yellow, w/ Packard Connector

RETAIL

RETAIL

RETAIL

Material: ABS/Acrylic  
FMVSS: A, I, T, P, P2  
Finish: Chrome/Red/Amber  
Volts / Amps: 12V / .775A (I)/.038A (P/P2/T)

## TWO-STUD PLUG-IN LAMP WITH SIDEMARKER

Incorporates sidemarker light • Fits right or left side • Keyed, plug-in receptacle, accepts OEM harness • Standard with Navistar®/Volvo®  
• Vertical mount • Includes reflex reflector

**55470** Red and Yellow

Material: Polycarbonate/Acrylic

FMVSS: A, I, P2

Finish: Red / Yellow


Bulb: 1156, 32 CP

Volts / Amps: 12V 2.1A (I)

Bulb: 193, 2 CP

Volts / Amps: 12V / .33A (P2)

Lens: Red 91502; Yellow 91503; Sidemarker - Yellow 91513



## TWO-STUD CHROME LAMP WITH PIGTAIL

Switch lens for right or left applications • Ground wire plus tab • PVC wire jacket material • 73" color coded pigtail • Vertical mount • Includes reflex reflector

**55340** Red and Yellow

Material: ABS/Acrylic/Polycarbonate

FMVSS: A, I, P2

Finish: Red / Yellow



Bulb: 1156, 32 CP

Volts / Amps: 12V / 2.1A (I)

Bulb: 193, 2 CP

Volts / Amps: 12V / .33A (P2)

Lens: Red 90482, Yellow 90483; Sidemarker - Yellow 94643




## TWO-STUD LAMP WITH PIGTAIL

High-heat acrylic lens • 2" mounting centers • Incorporates sidemarker light • Replaces Chevrolet®/GMC® 2017747 (RH) and 2017751 (LH) • Includes reflex reflector

- 55410** Red and Yellow, RH
- 55420** Red and Yellow, LH

Material: Polycarbonate/Acrylic  
 FMVSS: A, I, P, P2  
 Finish: Red / Yellow  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I)  
 Bulb: 193, 2 CP (X2)  
 Volts / Amps: 12V / .66A (P,P2)  
 Lens: Red 91502, Yellow 91503; Sidemarker - Yellow 91513




## PEDESTAL-MOUNT LAMP WITH PIGTAIL

ABS body • Polycarbonate pedestal for fender contours • Incorporates sidemarker light • Replaces Chevrolet®/GMC® 2017745 and 2006674 (RH) • Replaces Chevrolet®/GMC® 2017746 and 2006673 (LH) • Includes reflex reflector

- 55430** Red and Yellow, RH
- 55440** Red and Yellow, LH

Material: ABS/Acrylic/Polycarbonate  
 FMVSS: A, I, P, P2  
 Finish: Red / Yellow  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1 A(I)  
 Bulb: 193, 2 CP (x2)  
 Volts / Amps: 12V / .66A (P,P2)  
 Lens: Red 91502, Yellow 91503; Sidemarker - Yellow 91513




## PEDESTAL-MOUNT LAMP WITH PIGTAIL

High-heat acrylic-lens • ABS body • Incorporates sidemarker light • Replaces Chevrolet®/GMC® 694628 (RH) • Replaces Chevrolet®/GMC® 694627 (LH) • Includes reflex reflector

- 55450** Red and Yellow, RH
- 55460** Red and Yellow, LH

Material: ABS/Acrylic/Polycarbonate  
 FMVSS: A, I, P, P2  
 Finish: Red / Yellow  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I)  
 Bulb: 193, 2 CP (X2)  
 Volts / Amps: 12V / .66A (P,P2)  
 Lens: Red 91502, Yellow 91503; Sidemarker - Yellow 91513






# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional

LED




## 4" HI COUNT® DOUBLE-FACE LED LAMP

Attractive multiple diode design • Heavy-duty housing with hardwired connection for variable wiring options • Two-wire, double-contact installation

**G5300** Red and Yellow

Material: Acrylic/Die Cast  
FMVSS: I, T  
Finish: Chrome/Red/Yellow  
Volts / Amps: 12V / .77A (I)/.038A (T)  
Lens: Red: 92062; Yellow: 92063



## 4" ZINC DIE-CAST DOUBLE-FACE LAMP

Less than 75 sq cm of effective, projected luminous lens area • For use on vehicles less than 80" wide


### DOUBLE CONTACT:

**53000** Red and Yellow, Chrome-Plated  
**53020** Red and Yellow, Black Enamel Finish  
**53023** Yellow and Yellow, Black Enamel Finish

### SINGLE CONTACT:

**56000** Red and Yellow, Chrome-Plated  
**56020** Red and Yellow, Black Enamel Finish

Material: Die-cast/Acrylic  
FMVSS: Double - I, P; Single - I  
Finish: Red / Yellow  
Bulb: Double - 1157, 32/3 CP  
Volts / Amps: 12V / .59A (P)/2.1A (I)  
Bulb: Single - 1156, 32 CP  
Volts / Amps: 12V / 2.1A (I)  
Pigtail: 68130, 68170  
Lens: Red 91582; Yellow 91583



## 4" DIE-CAST SINGLE-FACE LAMP

Less than 75 sq cm of effective, projected luminous lens area • For use on vehicles under 80" wide • Wire exit includes a grommet to protect the jacket from abrasion

### DOUBLE CONTACT:

**53032** Red, Chrome-Plated  
**53052** Red, Black Finish  
**53053** Yellow, Black Finish

### SINGLE CONTACT:

**56052** Red, Black Finish  
**56053** Yellow, Black Finish


Material: Die-cast/Acrylic  
FMVSS: Double - I, S, T; Single - I, S  
Finish: Red / Yellow  
Bulb: Double - 1157, 32/3 CP  
Volts / Amps: 12V / .59A (P,T)/2.1A (I)  
Bulb: Single - 1156, 32 CP  
Volts / Amps: 12V / 2.1A (I,S)  
Pigtail: 68130, 68170  
Lens: Red 91582

## THIN-LINE ZINC DIE-CAST DOUBLE-FACE LAMP

For fender or front bracket mount • Wire exit has a grommet to protect the jacket from abrasion • Single contact

- 55280** Red and Yellow, Baked Aluminum Finish
- 55290** Red and Yellow, Chrome-Plated

Material: Die-cast/Polycarbonate  
 FMVSS: I  
 Finish: Red/ Yellow  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A  
 Pigtail: 68170  
 Lens: Red 90232, Yellow 90233




## THIN-LINE DIE-CAST SINGLE-FACE LAMP

Snap-grip acrylic lens • Rubber o-rings • Easy bulb and lens replacement • Wire exit has a grommet to protect the jacket from abrasion

### DOUBLE CONTACT:

- 50652** Red, Chrome-Plated
- 50662** Red, Silver Finish

Material: Die-cast/Acrylic  
 FMVSS: Double - I, S, T; Red, Single - I, S; Yellow - I, P; Yellow, Single - I  
 Finish: Red/ Yellow  
 Bulb: Double - 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P,T)  
 Bulb: Single - 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I,S)  
 Pigtail: 68130, 68170  
 Lens: Red 90232, Yellow 90233



## THIN-LINE DOUBLE-FACE LAMP

Easy snap-on lenses • Molded-in baffle • Molded-in o-ring • Wire exit has a grommet to protect jacket against abrasion


### DOUBLE CONTACT:

- 50630** Red and Yellow
- 50630-5** Red and Yellow **RETAIL**

### SINGLE CONTACT:


- 55220** Red and Yellow
- 55220-5** Red and Yellow **RETAIL**
- 55223** Yellow and Yellow
- 55223-5** Yellow and Yellow **RETAIL**

Material: Acrylic/Polycarbonate  
 FMVSS: Double - I, P; Single - I  
 Finish: Red / Yellow  
 Bulb: Double - 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I)/.59A (P)  
 Bulb: Single - 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I)  
 Pigtail: 68170, 68130  
 Lens: Red 90232, Yellow 90233



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional



## SINGLE-FACE LAMP

Easy snap-on lens • Molded-on baffle • Rubber plug-in pedestal


### DOUBLE CONTACT:

**50642** Red  
**50642-5** Red **RETAIL**

### SINGLE CONTACT:

**55243** Yellow

Material: Polycarbonate  
 FMVSS: Double - I, S, T; Red, Single - I, S; Yellow, Single - I  
 Finish: Red / Yellow  
 Bulb: Double - 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (T)  
 Bulb: Single - 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I,S)  
 Pigtail: 68130, 68170  
 Lens: Red 90232, Yellow 90233



## STEEL SINGLE-FACE LAMP

Snap-ring lens application • Two-wire pigtail • Long-life bulb

### DOUBLE CONTACT:


**50352** Red

Material: Steel/Acrylic  
 FMVSS: I, P2, P3, S, T  
 Finish: Red  
 Bulb: 1157, 32/3 CP  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (P2,P3,T)  
 Accessory: Snap Ring 99593  
 Pigtail: 68130  
 Lens: Red 90012

LED



55983



## 7" LED STOP/TAIL/TURN LAMP

Encapsulant potting provides protection for the circuit board • UV-protected lenses • Male .180 bullet connectors • Flat-back installation (no cut-outs required) • Install using #10 screws

### STOP/TAIL/TURN LAMP

**53422** Red, Stop/Tail/Turn Lamp w/Reflex

### SINGLE FUNCTION:

**55982** Red, Turn Lamp w/ Reflex  
**55983** Yellow, Front Turn Lamp w/ Reflex  
**55992** Red, Turn Lamp w/o Reflex  
**55993** Yellow, Turn Lamp w/o Reflex


Material: Polycarbonate  
 FMVSS: 53422 - A, I, P2, S, T; 55982 - A, I, S; 55983 - A, I; 55992/3 - I  
 Finish: Red/Yellow  
 Volts / Amps: S/T/T - 12V / .39A (A,I)/.03A (P2,T)  
 Volts / Amps: Single Function - 12V / .39A (I,S)  
 Bracket: 93982

## 7" LED ARROWTURN LAMP

Large arrow pattern makes it easier for road traffic to identify turning vehicles • Meets FMVSS 108 Front and Rear Turn requirements • Auxiliary for midturn and/or wide turn indications • Surface mount for easy installation • UV-coated lens prevents weathering from the elements • Mounts with #10 screws

**53883** Yellow, Turn Lamp

Material: Polycarbonate  
 FMVSS: I  
 Finish: Yellow  
 Volts / Amps: 12V / .327A  
 Bracket: 93982




## 7" DOUBLE-FACE PEDESTAL LAMP

For simultaneous front and rear warning • Pedestal mounting • Baked black enamel finish


TURN:	
<b>78150</b>	Red and Yellow
<b>78153</b>	Yellow and Yellow
AUXILIARY:	
<b>78152</b>	Red and Red

Material: Steel/Acrylic  
 FMVSS: 78150, 78153 - I, S  
 Finish: Red / Yellow  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I)  
 Pigtail: 68080  
 Lens: Red 90092, Yellow 90093



# Stop/Tail/Turn Lamps

Feux Arrêt / Arrière / Direction Lámparas de Freno / Cuarto / Direccional




## 7" SINGLE-FACE LAMP

Two-stud or bracket mounting • Heavy-gauge formed steel housing  
 • Yellow arrow design for rear turn only • 78303 and 78313 not for front turn use

<b>78002</b>	Red
<b>78003</b>	Yellow
<b>78303</b>	Yellow, Arrow Lens, Molded .180 Terminal Pigtail
<b>78313</b>	Yellow, Arrow Lens, Blunt Cut Pigtail

Material: Steel/Acrylic  
 FMVSS: Red - I, S; Yellow & Yellow Arrow - I; Arrow Lens - I  
 Finish: Yellow / Red / Black  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A (I,S)  
 Bracket: 43282, 93982  
 Pigtail: 68080  
 Lens: Red 90092, Yellow 90093; Arrow Lens - Yellow 90103



## 7" SCHOOL BUS LAMPS

Rugged housing • Acrylic lens • Flush mount • Blunt cut wires

### SINGLE CONTACT:

<b>56072</b>	Red
<b>56073</b>	Yellow
<b>56083</b>	Yellow w/ Arrow Lens

### DOUBLE CONTACT:

<b>50132</b>	Red
--------------	-----

Material: Steel/Acrylic  
 FMVSS: I, S, T  
 Finish: Red / Yellow / Black  
 Bulb: 1157, 32/3 CP (X2) (50132)  
 Volts / Amps: 12V / 2.1A (I,S)/.59A (T) Double Contact  
 Bulb: 1156, 32 CP (56072, 56073, 56083)  
 Volts / Amps: 12V / 2.1A (I,S) Single Contact  
 Lens: Red 99842, Yellow 99843