


02

TRAILER CONNECTORS

CONNECTEURS
POUR REMORQUES

CONECTORES PARA
TRAILERS Y REMOLQUES

- 10 Trailer Sockets
- 11 Nose Boxes & Socket Breakers
- 12 Trailer Plugs
- 16 Junction Boxes
- 16 Corrosion Preventive Sealant



GROTE'S TRAILER CONNECTORS AND
COMMUNICATION PRODUCTS ENSURE
SUFFICIENT POWER IS DELIVERED
TO THE ENTIRE VEHICLES LIGHTING
AND SAFETY SYSTEM.

HEAVY DUTY 7 POLE SOCKETS



82-1002

- Die-cast housing for superior corrosion resistance
- Solid brass pin terminals for best conductivity
- Meets and exceeds SAE J560 specifications
- Terminals accept 16-10 gauge wires; 8 gauge ground wire
- Sloped socket barrel allows for moisture drainage
- 40 AMP @ 6-28V DC
- 2, 1/2" mounting holes
- Circuit identification on the back of the socket
- Female ground pin for (ISO) to prevent improper connections



82-2145

82-1043

#	COLOR	CIRCUITS	RECOMMENDED WIRE GAUGE
1	White	Ground Return	8 GA
2	Black	Clearance, Side Marker and Identification Lamps	12 GA
3	Yellow	Left Turn Signal & Hazard Signal	12 GA
4	Red	Stop Lamps & Anti-Lock Devices	10 GA
5	Green	Right Turn Signal & Hazard Signal	12 GA
6	Brown	Tail, Rear Clearance, Marker and License Plate Lamps	12 GA
7	Blue	Auxiliary Circuit/ABS	10 GA

SOCKET #	MATERIAL	TERMINALS	PART #
7	Zinc Die-Cast	Enclosed, split pin	82-1002
7	Zinc Die-Cast	Exposed, solid pin	82-1005
7	Nylon	Enclosed, solid pin	82-2145
7	Nylon	ISO Socket	82-1043

7 POLE R.V. SOCKETS



82-1058

- Made of lightweight, high impact nylon
- Socket lid has a slot for proper drainage, tin plated copper alloy terminals
- 82-1060 fits Ford style and universal mount brackets
- Easy twist-in and lock assembly for factory installed brackets & hitches
- Fits GM and Nissan trucks and SUV's



82-1060

82-1059

NO.	COLOR	CIRCUIT	RECOMMENDED WIRE GAUGE
1	White	Ground Return	10 GA
2	Blue	Electric Brake	12 GA
3	Green	Tail, License, Running Lights	14 GA
4	Black	Battery Charge	10 GA
5	Red	Stop & Left Hand Turn Signal	14 GA
6	Brown	Stop & Right Hand Turn Signal	14 GA
7	Yellow	Auxiliary Circuit	14 GA

SOCKET #	MATERIAL	DESCRIPTION	PART #
7	Nylon	R.V. Socket Only	82-1058
7	Nylon	R.V. Socket Only	82-1060*
7	Nylon	R.V. Plug & Socket Kit (includes 82-1056 & 82-1058)	82-1050
7	Nylon	Twist-In & Lock Socket	82-1059*

* See page 12 for Harness Adapters

COMBINATION 7 WAY & 4 POLE SOCKETS

- Combines an R.V. 7 way and 4 pole flat socket connection into one part (not to be used simultaneously)
- Easy snap-in assembly designed for truck and sport utility vehicles and when hauling multiple trailers
- Eliminates the need for an adapter; mounting bracket included
- Will plug into any Ford or GM vehicle built after 2001 (selected Nissan models 2004+)

PLUG #	MATERIAL	DESCRIPTION	PART #
7	Nylon	7 Way R.V. and 4 Pole Flat w bracket	82-1055
7	Nylon	7 Way R.V. and 4 Pole Flat	82-1055NB



82-1055NB

82-1055

PLUG AND SOCKET BOOT

PLUG / SOCKET #	DESCRIPTION	PART #
7	Plug Boot – complete protection	82-2142
7	Socket Boot – complete protection	82-2144



82-2142

82-2144

7- WAY SOCKET BREAKERS

- Heavy duty die-cast material; Meets SAE J560 specifications

PART #	RATED	DESCRIPTION
82-0855	20 AMP	Split Pin, Metal Breakers
82-0856	30 AMP	Split Pin, Metal Breakers
82-0853		Split Pin, Without Breakers



82-0855



NOSEBOXES

- Fits standard mounting hole patterns
- Includes mounting hardware, grommet and gasket

PART #	DESCRIPTION	DIMENSIONS	MATERIAL
82-0861	Deep Nose Box	3 1/2"	Nylon
82-0859	Deep Nose Box	3 1/8"	Die-Cast
82-0860	Low Profile Nose Box	1 7/8"	Die-Cast
82-0850*	Low Profile Nose Box	1 7/8"	Die-Cast

* Includes 20A Split-Pin Socket Breaker



82-0860

82-0850

82-0861

82-0859

HEAVY DUTY 7 POLE PLUGS



- Die-cast housing for superior corrosion resistance
- Meets and exceeds SAE J560 specifications
- Plated steel cable guard prevents cable chafing
- Circuit identification on the back of the plug insert
- Male ground pin for (ISO) to prevent improper connection with standard 7 pole plugs

PLUG #	MATERIAL	DESCRIPTION	PART #
7	Zinc Die-Cast	Plug only	82-1001
7	Nylon	Plug only	82-2140
7	Zinc Die-Cast	Plug w/Guard Spring	82-1019
7	Stainless Steel	Guard Spring only	82-2141
7	Die-Cast	ISO plug w/Guard Spring	82-1044

7 POLE R.V. PLUGS



- Made of lightweight, high impact nylon

PLUG #	MATERIAL	DESCRIPTION	PART #
7	Nylon	R.V. Plug Only	82-1056
7	Nylon	R.V. Plug & Socket Kit (includes 82-1056 & 82-1058)	82-1050

STEP-DOWN R.V. ADAPTERS



- Provides 6 & 7 pole trailer plug to allow 4, 5 and 6 pole conversion
- Made of lightweight, nylon material for superior corrosion resistance
- Ideal for boat trailers, campers and utility vehicles

PLUG#	MATERIAL	DESCRIPTION	PART #
7	Nylon	7 Way RV to 4 Pole Flat	82-2146
7	Nylon	7 Way RV to 5 Pole Flat	82-2148
7	Nylon	7 Way RV to 6 Pole Round, Ctr Pin, Brake	82-2149
7	Nylon	7 Way RV to 6 Pole Round, Ctr Pin, Auxiliary	82-2154
6	Nylon	6 Pole Round to 4 Pole Flat	82-2147

* See page 10 for Socket Connectors

ADAPTERS



* See page 10 for Socket Connectors

82-1063 | T CONNECTOR (FOR 5TH WHEEL & BUMPER MOUNT SOCKET)

- Plug & play without splicing into existing OEM harness
- Fits GM & Ford trucks/SUV's; Chrysler trucks/SUV's w/ 82-1062 adapter

82-1062 | RECTANGULAR-TO-ROUND HARNESS ADAPTER

- Adapter for OEM harnesses
- Mates w/ Grote socket # 82-1060, 82-1055, 82-1059, T-Connector #82-1063

82-1061 | HARNESS EXTENSION ADAPTER

- Adapter mates with socket # 82-1060, 82-1055
- 4' harness extension plugs into existing socket & splices into OEM harness

HEAVY DUTY 6 POLE SOCKETS



- Die-cast housing for superior corrosion resistance
- Solid brass pin terminals for best conductivity
- Terminals accepts up to 12 gauge wires
- 2, 1/2" mounting holes; Stainless steel spring
- Circuit identification on the back of the socket

SOCKET #	MATERIAL	TERMINALS	PART #
6	Zinc Die-Cast	Enclosed, split pin	82-1016

PLUG/SOCKET #	DESCRIPTION	PART #
6	Socket Boot – Complete protection	82-1012

NO.	COLOR	CIRCUITS
1	White	Ground Return
2	Brown	Tail Lights
3	Yellow	Left Turn
4	Red	Stop
5	Green	Right Turn
6	Blue	Auxiliary Circuit

HEAVY DUTY 6 POLE PLUGS

- Die-cast housing for superior corrosion resistance
- Plated steel cable guard prevents cable chafing
- Circuit identification on the back of the plug insert

PLUG #	MATERIAL	DESCRIPTION	PART #
6	Zinc Die-Cast	Plug only	82-1011
6	Zinc Die-Cast	Plug with Guard Spring	82-1010



SOCKET #	MATERIAL	TERMINALS	PART #
4	Zinc Die-Cast	Enclosed, split pin	82-1020

PLUG & SOCKET KIT	MATERIAL	TERMINALS	PART #
4	Zinc Die-Cast	Enclosed, split pin	82-1040

(includes 82-1020 & 82-1021)



NO.	COLOR	CIRCUITS
1	White	Ground Return
2	Green	Right Turns & Brake Lights
3	Yellow or Red	Left Turn & Brake Lights
4	Brown	Tail Lights

HEAVY DUTY 4 POLE PLUGS

PLUG #	MATERIAL	DESCRIPTION	PART #
4	Zinc Die-Cast	Plug with Guard Spring	82-1022
4	Zinc Die-Cast	Plug	82-1021
4	Stainless Steel	Guard Spring	82-1023



MOLDED CONNECTOR ASSEMBLIES

- PVC sleeve provides ultimate protection; Split pin terminals
- 20 AMP @ 12-24V DC

DESCRIPTION	PART #
2 Pole Molded Connector Assembly	82-1027
4 Pole Molded Connector Assembly	82-1025



LIFT GATE – CHARGING PLUGS & SOCKETS

- Designed for lift gate applications and as an alternative power source
- Solid brass pin terminals for best conductivity
- 2, 1/2" mounting holes; stainless steel spring
- Terminals accepts 4 gauge cable
- 200 AMP heavy die-cast construction

SOCKET

PART #	SOCKET #	DESCRIPTION	MATERIAL
82-1041	2	Socket – Dual Pole	Zinc Die-Cast
82-0851	1	Socket – Single Pole	Zinc Die-Cast
82-2144		Socket Boot	Rubber

PLUG

PART #	PLUG #	DESCRIPTION	MATERIAL
82-1042	2	Plug & Guard Spring – Dual Pole	Zinc Die-Cast
82-0852	1	Plug & Guard Spring – Single Pole	Zinc Die-Cast

PLUG & SOCKET COMBO

PART #	PLUG/SOCKET#	DESCRIPTION	MATERIAL
82-0950	1	Plug & Socket – Single Pole	Zinc Die-Cast



DUMP TRUCK & TARP TRAILER PLUGS & SOCKETS

VERTICAL PIN

- Designed for dump truck, tarp and grain trailer applications; also alternative power source
- Solid brass pin terminals for best conductivity
- 2, 1/2" mounting holes; stainless steel spring
- Terminals accepts 4 gauge cable(s)
- 200 AMP heavy die-cast construction
- Vertical pin plug/socket = set screw termination

SOCKET

PART #	SOCKET #	DESCRIPTION	MATERIAL
82-1041V	2	Socket – Dual Pole	Zinc Die-Cast
82-2144		Socket Boot	Rubber


PLUG

PART #	PLUG #	DESCRIPTION	MATERIAL
82-1042V	2	Plug & Guard Spring – Dual Pole	Zinc Die-Cast



MOLDED TRAILER CONNECTORS

- Automotive, marine, recreational and truck applications
- PVC wire
- Operating temperature 105°C (221°F)
- Weather resistant molded head
- Male = vehicle end, female = trailer end



PLUG #	GAUGE	CONNECTOR HEAD	LENGTH	WIRE COLORS	CONNECTOR END	PART #
6	16	Square	12"	White, Yellow, Brown, Green, Blue, Black	Male & Female	82-1028
5	16	Flat	12"	White, Yellow, Brown, Green, Blue	Male & Female	82-1029
4	18	Square	12"	White, Yellow, Brown, Green	Male & Female	82-1036
4	16	Flat	12"	White, Yellow, Brown, Green	Male & Female	82-1030
4	16	Flat	6"	White, Yellow, Brown, Green (blunt cut)	Female	82-1031
4	16	Flat	6"	White, Yellow, Brown, Green (blunt cut)	Male	82-1032
3	16	Flat	12"	White, Yellow, Brown	Male & Female	82-1033
2	16	Flat	12"	White, Yellow	Male & Female	82-1034
2	16	Flat	24"	White, Red	Male & Female	82-1038
2	12	Flat	12"	White, Black	Male & Female	82-1039
2	10	Flat	12"	White, Black	Male & Female	82-1035

MOUNTING BRACKETS

- Can accommodate from 4 pole up to 9 pole socket requirements
- Made of anti-corrosive steel, painted black

PLUG #	MATERIAL	DESCRIPTION	PART #
4, 5, 6	Steel	4, 5 and 6 pole socket bracket	43942
7, 9	Steel	7 and 9 pole socket bracket	43402
4, 6, 7	Steel	4, 6 and 7 pole socket bracket	82-1052



PROTECTIVE CAP – 7 POLE PLUGS

- Protective cap for 7 pole plugs
- Heavy duty glass-filled plastic housing
- Spring-loaded for secure locking
- Keeps plugs clean when not in use
- Protects the electrical contacts from dirt and moisture
- 2 mounting holes

PART #	MATERIAL	DESCRIPTION	PLUG #
82-1051	Plastic	Protective cap for 7 pole plugs	7



SEVEN TERMINAL JUNCTION BOX



- Corrosion resistant molded cover and housing
- Two-bolt mounting 7 3/8" (18.73) centre to centre
- Access slot grommets included, four open-four closed
- 7, #10-32 studs

82-1000

DRI-SEAL CIRCUIT BOX



- Entrances stay dry by using the new "push-in" choke seals and threaded fittings – comes with 4 choke seals
- 18 brass circuit studs and full hardware; entry from 4 sides
- All components are corrosion resistant
- Numbered label for fast circuit I.D.
- No tools: easy access by 4 wing nut fasteners (retained in the cover)
- Ample area for wire and cable – 1 cable entrance fitting

351044

7-WAY SYSTEM CHECKER



- Solid brass pin
- LED light source
- Lexan housing

920273

CLEANING BRUSH – 7 POLE PLUGS & SOCKETS



- Engineered to properly fit 7 pole plugs and sockets
- Removes any unwanted corrosion build up
- Easily stored in a tool box or maintenance kit
- Stainless steel bristles and heavy duty plastic housing

PART #	MATERIAL	DESCRIPTION	PLUG / SOCKET #
83-6561	Plastic	Plastic housing w/ steel bristles	7

ULTRA-SEAL CORROSION PREVENTIVE SEALANT DISPLAY



99170-1



99170



99180

- Prevents rust and corrosion
- Added tackifiers improve adhesion and resistance to washout
- Operating range -40°C (-40°F) to 150°C (302°F)
- Ideal for heavy-duty, automotive, agricultural, marine, industrial and recreational applications

PART #	DESCRIPTION
99170-1	Display (includes 12 - 4 oz. tubes # 99170)
99170	4 oz. Tube
99180	8 oz. Tub with applicator

G24/7



ONLINE CUSTOMER SERVICE PLATFORM

For existing customers, this **COMPLIMENTARY SERVICE** is an innovative way to place orders, track order status and view all your Grote® product activity. From the convenience of your computer or mobile device, you can now access previously unavailable information that will help you more successfully manage your business and inventory.



NEW FEATURES

- Pay invoices online any time; easy credit card processing
- Reprint packing lists and invoices
- Order entry online by customer part number
- Upload from Microsoft® Excel
Customers can also upload items from Microsoft Excel to create orders
- Refer and reorder using "My List"
The user can create a list of products for future reference or to reorder
- E-mail notification
When a new order is created and when an order is shipped, unlimited recipients can receive an instant e-mail notification.

USING G24/7, YOU CAN QUICKLY & EASILY

- Track the status of current orders
- Check the status of backorders
- Check for substitutions, replacements for obsolete parts
- Check Grote inventory availability
- Confirm ship dates
- Link to shipping carrier
- View invoice information
- Track credits
- View weight and packaging information
- View previously placed orders
- View product technical information
- Reprint packing lists and invoices



CONTACT US

CALL US AT 1-800-268-5612, OR CHECK OUT OUR G24/7 ONLINE CUSTOMER SERVICE PLATFORM AT SHOP.GROTE.COM