14

MOUNTING OPTIONS

## OPTIONS DE FIXATION

OPCIONES DE MONTAJE

SPACER WIRE GUIDE

For use with LED Radius Light 64M11-5 or LED Fairing Light 64M21-5
• Designed for extended installation and wire routing
• Install with two #8 fasteners (not included)

49501-3   Spacer and Wire Guide - Bulk Pack

VMRS Code: 034-006-034

GASKET

To be used when surface mounting the LED Radius Light 64M11-5 or LED Fairing Light 64M21-5

49511-3   Gasket - Bulk Pack

VMRS Code: 034-001-122

SNAP-IN COVER PLATES

Cover plate is held in place by snap tabs instead of screws for fast and easy installation • For use in retrofit of Grote S/T/T w/ integrated back-up lamps

94380-4   4" Round Gray, Pair Pack
94382-4   4" Round Black, Pair Pack
94390-4   6" Oval Gray, Pair Pack
94392-4   6" Oval Black, Pair Pack

Material: Polycarbonate
**VMRS Code:** 034-022-006

HOODED MICRONOVA® DOT GROMMET

Fits MicroNova® Dot lamps • For plate thickness to 1/4"

94360   Black

Material: PVC
Finish: Black
VMRS Code: 034-004-058

MICRONOVA® SECURITY PLATE

Installs over grommet-mounted MicroNova® Dot without impeding light output performance • Use stainless steel rivets (.119 rivet) or screws (not included) to mount directly to the vehicle • Not for use with 94360

42063   Stainless Steel

Material: Stainless Steel
Finish: Stainless Steel
VMRS Code: 034-004-036

MICRONOVA® OVAL BEZEL

- Plate mounts directly to vehicle with stainless steel rivets or screws
- Provides an additional layer of theft deterrence
- Prevents lamp rotation when installed

42343 Stainless Steel Bezel

Material: Stainless Steel
Finish: Stainless Steel
VMRS Code: 034-004-043

3.48"
(88mm)

1.62"
(41mm)

2.52"
(64mm)

RECESSED MOUNTING GROMMET
FOR 2" ROUND LAMPS

Requires 2 5/16" mounting hole • Fits panel thickness up to 1/4"

92120 Open Grommet
92150 Closed Back Grommet

KITS:

94100 Open Grommet (92120 + 67050)

Material: PVC
Finish: Black
VMRS Code: 034-004-058 - 92120
034-004-027 - 92150

2.81"
(71mm)

.88" deep
(22mm)

92120

THEFT-RESISTANT MOUNTING FLANGE FOR
2" ROUND LAMPS

Patented twist-in locking system keeps lamp from backing out • Ideal for LED lighting • For use with 2" LED and incandescent lamps • Requires 2 1/4" mounting hole

43150 Gray, Polycarbonate
43152 Black, Polycarbonate
43153 Chrome-Plated, ABS

Material: Polycarbonate/ABS
Finish: Gray/Black/Chrome
VMRS Code: 034-004-036

3" dia.
(76mm)

.63" deep
(16mm)
(3) mounting holes for
#10 screws on 2.61" B.C.
(66mm)

43153

SURFACE MOUNT BRACKET WITH GROMMET
FOR 2" ROUND LAMPS

4 1/4" mounting screw hole spacing

93760 Gray

Material: Polycarbonate
Finish: Gray
Grommet: 92120
VMRS Code: 034-004-036

2.72"
(69mm)

2.75"
(70mm)

1.41"
(36mm)
5.38"
(137mm)

4.25" (108mm)
spacing for
#10 screws

2" AND 2½" LICENSE LAMP MOUNTING BRACKET

Anti-glare shield eliminates stray light from distracting following motorists

43040   White

Material: Polycarbonate
Finish: White
VMRS Code: 034-004-036

2"
(51mm)

2"
(51mm)

(2) holes
for #10 screws

RECESSED MOUNTING GROMMET FOR 2½" ROUND LAMPS

• Requires 2 25/32" hole   • Fits panel thickness up to 1/8"

91400   Open Grommet
92070   Closed-Back Grommet

KITS:

94010   Open Grommet (91400 + 67050)

Material: PVC
Finish: Black
VMRS Code: 034-004-058

91400

1.25"
(32mm)

3.25"
(83mm)

.44" (11mm)
dia. hole

RECESSED MOUNTING GROMMET FOR 2½" ROUND LAMPS

• Requires 3" hole   • Fits panel thickness up to 1/4"

91410   Open Grommet

KITS:

94000   Open Grommet (91410 + 67050)

Material: PVC
Finish: Black
VMRS Code: 034-004-058

3.63"
(92mm)

.88" (22mm)
deep

45° ANGLED BEVELED-EDGE RECESSED MOUNTING GROMMET FOR 2½" ROUND LAMPS

Fits 2 3/4" hole   • Open back fits panel thickness up to 3/16", closed back fits up to 3/8"

91880   Open Grommet
92920   Closed-Back Grommet

Material: PVC
Finish: Black
VMRS Code: 034-004-058

91880

1"
(25mm)

1.38"
(35mm)

3.5"
(89mm)

Fits 2.78" (71mm) hole

(4) holes for #10 screws

3.25"
(83mm)

Fits 2½" marker lamp

3.88"
(98mm)

3.88"
(98mm)

SURFACE MOUNT GROMMET FOR 2½" ROUND LAMPS

Protective brass eyelets for mounting screw

91890   Open Grommet

Material: PVC
Finish: Black
VMRS Code: 034-004-058

3.5" dia.
(89mm)

.63" deep
(16mm)

(3) mounting holes for #10 screws on 3.11" B.C.
(79mm)

2.3"
(58mm)

1.58"
(40mm)

43160

THEFT-RESISTANT MOUNTING FLANGE FOR 2½" ROUND LAMPS

Patented twist-in locking system keeps lamp from backing out • Ideal for LED lighting • Fits 2 1/2" LED and incandescent lamps • Requires 2.8" mounting hole

MOUNTING FLANGE:

43160   Gray, Polycarbonate
**43162**   Black, Polycarbonate
43163   Chrome-Plated, ABS

PIGTAIL RETENTION CAP:

93670   Gray

Material: Polycarbonate/ABS
Finish: Gray/Black/Chrome
VMRS Code: 034-004-036

3.5"
(89mm)

1.11"
(28mm)

1.81"
(46mm)

42170

SNAP-IN MOUNTING FLANGE FOR 2 ½" ROUND LAMPS

Flange is held into place by snap tabs for a quicker, easier installation • Snap tabs on the flange lock the flange into place, keeping it from backing out of the hole • Foam gasket allows for mounting in materials from 1/8" to 1/4" thick • Requires 2 25/32" mounting hole

MOUNTING FLANGE:

42170   Gray

SECURITY RING:

43823   Stainless Steel

Material: Polycarbonate/Stainless Steel
Finish: Gray/Chrome
VMRS Code: 034-004-036

3.16"
(80mm)

1.41"
(36mm)

5.66"
(144mm)

3.25"
(83mm)

4.75" (121mm)
spacing for #10 screws

SURFACE MOUNTING BRACKET WITH GROMMET FOR 2½" ROUND LAMPS

• Includes grommet 91400 • 4 3/4" mounting screw hole spacing

93750   Gray

Material: Polycarbonate/PVC
Finish: Gray/Black
VMRS Code: 034-004-036

TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

4" mounting screw hole spacing

43690   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036

(2) holes
for #10 screws

5.63"
(143mm)

2.13"
(54mm)

4"
(102mm)

TWIST-IN SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

3" mounting screw hole spacing • Supports the use of PC-rated lamps for greater visibility

42180   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036

3"
(76mm)
(2) mounting holes
for #10 screws

2.22"
(56mm)

4"
(102mm)

4 5/8" CORNER RADIUS SURFACE MOUNT BRACKET FOR 2" AND 2½" ROUND LAMPS

Fits 4 5/8" corner radius • Use with PC-rated lights

43760   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036

5.88"
(149mm)
4.63" R.
(117mm)

2.19"
(57mm)

4.63" (117mm)
clearance holes
for #10 screws

90° ANGLE MOUNTING BRACKET FOR 2" AND 2½" ROUND LAMPS

Baked black enamel finish • Grommet required for mounting • 2 1/4" mounting screw hole spacing

FOR 2 1/2" LAMPS:	
43512	Accommodates 94010, 91400, 92070 Grommets (2 25/32" Hole)
43522	Accommodates 94000, 91410 Grommets (3" Hole)

FOR 2" LAMPS:	
43532	Accommodates 94100, 92120, and 92150 Grommets (2 5/16" Hole)

Material: Steel
Finish: Black Enamel
VMRS Code: 034-004-036

(2) mounting
hole for .39"
(10mm) bolts

2.25"
(57mm)

4.25"
(108mm)

1.8"
(46mm)

.063"
(1.6mm)

Dia.
2.31"
(59mm)
— or —
2.78"
(71mm)
— or —
3"
(76mm)

4.13"
(105mm)

3.25"
(83mm)

1.88"
(48mm)

.5"
(13mm)

## GROMMET FOR SMALL RECTANGULAR LAMPS

Requires 1 1/2" x 2 7/8" hole (with 3/8" radius corners) • Fits panel thickness up to .2"

91380   Black

Material: PVC
Finish: Black
VMRS Code: 034-002-002

94233

2.89"
(73mm)

.44"
(11mm)

1.5"
(38mm)

2"
(51mm)

43970

BRACKET FOR SMALL RECTANGULAR LAMPS

2" mounting screw hole spacing • Kits include pigtail and mounting pad

94233   Chrome-Plated

KITS:

43970   Gray (+ 67050 pigtail)
43980   Chrome-Plated (+ 67050 pigtail)

Material: Polycarbonate/ABS
Finish: Chrome/Gray
VMRS Code: 034-002-002 - 94233
　　　　　　　034-004-036 - 43970, 43980

(2) holes for #10 Screws

3"
(76mm)

1.5"
(38mm

4"
(102mm)

42110

42120

SURFACE MOUNT BRACKET FOR MICRONOVA® OR MICRONOVA DOT

Armored design to protect the lamp from damage • 3" mounting screw hole spacing (2 3/4" spacing for radius bracket)

42110   Gray
42120   Gray, Corner Radius Bracket

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036 - 42110

6.19"
(157mm)

4.38" (111mm) R.

2.13"
(54mm)

.25"
(6mm)

1.31" (33mm)
clearance holes
for #10 screws

4.81" (122mm)
holes for #10
tapping screws

4¾" CORNER RADIUS BRACKET

For use with PC-rated lights • 4 13/16" mounting screw hole spacing • works with Turtleback® II style lamps

43050   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036

HEADER-MOUNT BRACKET FOR SMALL RECTANGULAR LAMPS

Mountable at 45° angle for PC applications • Narrow rail applications • 3 39/64" mounting screw hole spacing • Kit includes single-seal pigtail

KITS:

43380   White (42141 + 67050)

Material: Polycarbonate
Finish: White
VMRS Code: 034-004-036

4.3"
(109mm)

.97"
(25mm)

3.61"
(92mm)

(2) holes for
#10 screws

1.41"
(36mm)

GROMMET FOR SMALL RECTANGULAR LAMPS

Requires 2 1/2" x 3 1/2" hole (with 17/32" corners) • Fits panel thickness up to 3/16"

93400   White
93402   Black

Material: PVC
Finish: Black/White
VMRS Code: 034-004-058

1.25" dia.
(32mm)

.81"
(21mm)

3.06"
(337mm)

93402

4.19"
(106mm)

MICRONOVA® LAMP BEZEL

Corrosion resistant, chrome-plated • Snap-fit mounting

93803   Chrome-plated

Material: ABS
Finish: Chrome
VMRS Code: 034-004-036

.91"
(23mm)

.25"
(7mm)

3"
(76mm)

## LICENSE LAMP BRACKET FOR SMALL RECTANGULAR LAMPS

Anti-glare shield eliminates stray light from distracting following motorists • 3" mounting screw hole spacing • Snap-in lamp installation

42162   Black

Material: Polycarbonate
Finish: Black
VMRS Code: 034-004-036

(2) holes for
#10 Screws

3"
(76mm)

1.35"
(34mm)

1.06"
(27mm)

.48"
(12mm)

3.73"
(95mm)

LICENSE LAMP MOUNTING BRACKET

Features snap-in lamp installation • Fits license lamp 60671, 60261, 60601 Anti-glare shield eliminates stray light from distracting following motorists • 2" mounting screw hole spacing

**43960**   Gray
43962   Black

Material: Polycarbonate
Finish: Gray/Black
VMRS Code: 034-004-036

43960

2.72"
(69mm)

2.63"
(67mm)

1.99"
(51mm)
for #10 screws

3.45"
(88mm)

3.38" (86mm)
2" (51mm) spacing for ¼" bolts
1.25" (32mm)
3" (76mm)

LICENSE LAMP MOUNTING BRACKET

Fits license lamp 60261 • 2" mounting screw hole spacing • Thin design reduces mounting space requirements

43830   Gray

Material: Polycarbonate
Finish: Gray
Grommet: 92520
VMRS Code: 034-004-036

2" (51mm)
.62" (16mm)
.75" (19mm)
2.03" (52mm)
42302

2.5" (64mm)
.62" (16mm)
.75" (19mm)
2.03" (54mm)
42312

.13" (3mm)
3" (76mm)
.75" (19mm)
42292

.13" (3mm)
3.5" (89mm)
.75" (19mm)
42282

MICRONOVA® DOT ROUND ADAPTER BRACKETS

Assembles directly into 2" and 2.5" PVC grommets • Replaces any incandescent or LED 2" or 2.5" round clearance/marker • Flanges torque to a maximum of 25 in-lbs and mount with three #10 pan or round head screws into existing hole patterns of 2" and 2.5" flanges

42302   2" Round Grommet Adapter
42312   2.5" Round Grommet Adapter
42292   3" Round Flange Adapter
42282   3.5" Round Flange Adapter

VMRS Code: 034-004-036

MICRONOVA® SURFACE MOUNT BRACKET

4 13/16" mounting hole separation provides easy retrofit
• Great for narrow surface mounting applications

42070   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-037

1.16" (30mm)
1" (25mm)
5.87" (149mm)

MICRONOVA® DOT ADAPTER BRACKET

Allows the MicroNova® DOT to mount directly to the vehicle using this bracket or snap-fit into compatible 4378-series mounting brackets
• 2 1/2" - 3" mounting screw hole spacing

94350   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-004-036

MOUNTING BRACKET FOR LARGE RECTANGULAR LAMPS

• 3" mounting screw hole spacing • Kits include unique connector design with plug-in pigtail

43780   Gray Bracket
43783   Chrome-Plated Bracket, ABS

KITS:

43390   Gray (43780 + 66981)
43790   Gray (43780 + 66980)

Material: Polycarbonate/ABS
Finish: Gray/Chrome
VMRS Code: 034-004-036

**43780**

LOW-PROFILE MOUNTING BRACKET

Integrated plug connection • Legal mount for combination clearance/marker lamp when mounted on a 45° angle (PC) • 3" mounting screw hole spacing

43850   Gray

Material: Polycarbonate
**Finish:** Gray
VMRS Code: 034-004-036

M1 SERIES LAMP BEZEL

For use with M1 style cab markers

93453   Chrome

Material: ABS
**Finish:** Chrome
VMRS Code: 034-004-036

SMALL CAB MARKER BEZEL

Can be installed while lamps are mounted

92583   Bezel

Material: ABS
Finish: Chrome
VMRS Code: 034-004-036

THIN-LINE LED LAMP GUARD

Cutaway to accept plug-in pigtail • For use with 4690,4692, and 4693 series lamps

43074   Aluminum

Material: Aluminum
Finish: Aluminum
VMRS Code: 034-004-130

4.81" (122mm) spacing for (2) #10 screws

1.31" (33mm)

5.31" (135mm)   1.5" (38mm)

LAMP GUARD FOR SMALL RECTANGULAR LAMPS

Cutaway to accept plug-in pigtail

43120   Aluminum

Material: Aluminum
Finish: Aluminum
VMRS Code: 034-004-036

1.5" (38mm)   slots for 3" center mounts, cutaway for plugs

1.5" (38mm)   4.25" (108mm)

STEEL LAMP GUARD

For use with 2" x 4" oval and square corner surface mount clearance/marker lamps • 3" mounting screw hole spacing

43144   Steel

Material: Steel
Finish: Silver
VMRS Code: 034-004-130

1.19" (30mm)

1.16" (29mm)   2.31" (59mm)

3" (76mm)   (2) holes for #8 screws
4.25" (108mm)

CHROME BUTTRESS-STYLE LAMP GUARD

For use with 2" x 4" oval and square corner surface mounted lamps • 4 3/4" mounting screw hole spacing

43673   Chrome-Plated

Material: ABS
Finish: Chrome
VMRS Code: 034-004-130

5.5" (140mm)

2.5" (64mm)

1.13" (29mm)

4.75" (121mm) spacing for #10 screws

RECESSED MOUNTING GROMMET FOR 4" ROUND LAMPS

Requires 4 1/2" mounting hole • Fits panel thickness up to 1/4"

**91740**   Grommet

Material: PVC
Finish: Black
VMRS Code: 034-002-002 - 91740

5.25" (133mm)

1.13" (29mm)

CLOSED BACK RECESSED MOUNTING GROMMET FOR 4" ROUND LAMPS

For open installations where splash plate is not used • Requires a 4 1/2" mounting hole • Fits panel thickness up to 1/4"

91950   Grommet

Material: PVC
Finish: Black
VMRS Code: 034-002-002

5.25"
(57mm)

2.25"
(57mm)

STAINLESS STEEL SNAP-IN THEFT-RESISTANT MOUNTING FLANGE FOR 4" ROUND LED LAMPS

Foam gasket allows for mounting in materials from 1/8" to 1/4" thick • Requires 4 1/2" mounting hole • No drilling necessary to install

93683   Stainless Steel

Material: Stainless Steel
Finish: Stainless Steel
VMRS Code: 034-002-006

4.63"
(117mm)

5.47"
(139mm)

1.03"
(26mm)

.34"
(9mm)

SNAP-IN THEFT-RESISTANT MOUNTING FLANGE FOR 4" ROUND LED LAMPS

Fits panel thickness 1/8" to 1/4" • Requires 4 1/2" mounting hole

93552   Black
93553   Chrome-Plated

Material: ABS
Finish: Black/Chrome
VMRS Code: 034-002-006

4.5"
(114mm)

.81"
(21mm)

5.63"
(143mm)

93553

## THEFT-RESISTANT MOUNTING FLANGE FOR 4" ROUND LAMPS

For use with 4" round LED and incandescent lamps • Mounting hole size 4 1/2" diameter

92510   White, Polycarbonate
92512   Black, Polycarbonate
92513   Chrome-Plated, ABS
92511   Gray, Polycarbonate
43253   Stainless Steel

### SECURITY RING

43343   Stainless Steel Security Ring (must be used with flange)

Material: Polycarbonate; Stainless Steel; ABS
Finish: White; Gray; Black; Chrome; Stainless Steel
VMRS Code: 034-002-006

43253

5.56"
(141mm)

.75"
(19mm)

(3) .203" (5.16mm)
mounting holes for #10
screw on a 4.9" (124.61mm) B.C.

(3) mounting holes for
#10 screw on 4.91" B.C.
(125mm)

5.56"
(141mm)

43343

6"
(152mm)

.75" deep
(19mm)

(4) mounting holes for
#10 screws on 5.44" B.C.
(138mm)

THEFT-RESISTANT BETTS LIGHTING MOUNTING ADAPTER

Allows users to retrofit their Betts brand lighting to Grote® mounting dimensions • Retrofits to Grote® 4" round sealed lamps and LEDs • Requires 4 1/2" diameter mounting hole

93190   Gray

Material: Polycarbonate
Finish: Gray
VMRS Code: 034-002-006

(2) holes
for 5/16" bolts
4"
(102mm)
6"
(152mm)
1.81"
(46mm)
4.5"
(114mm)
6"
(152mm)

43572

ANGLED MOUNTING BRACKET FOR 4" ROUND LAMPS

Accepts lamp equipped with a grommet or flange • 4" mounting screw hole spacing

43572   Black, 90° angle bracket

Material: Steel
Finish: Black Powder-Coated
Grommet: 91740
VMRS Code: 034-002-006

10.5"
(267mm)
7.75"
(197mm)
(9) holes
for 5/16" bolts
2.63"
(67mm)
12.88"
(327mm)

51090

MOUNTING MODULE FOR 4" ROUND LAMPS

Closed back, rear lamp module for lamps requiring 4 1/2" mounting hole opening • Accepts lamps equipped with a grommet or flange

43655   Yellow Zinc
51090   Gray

Material: Steel
Finish: Yellow Zinc/Gray Powder-Coated
VMRS Code: 034-002-006 - 43655
078-002-004 - 51090

13.5"
(343mm)
2.13"
(54mm)
7.5"
(191mm)
Hole for
#10 screw
6.63"
(168mm)
3"
(76mm)
(6) holes on
5" (127mm) B.C.
for #10 screws
6.75"
(171mm)

2-LAMP MOUNTING MODULE FOR 4" ROUND LAMPS

Two 4 1/2" mounting holes to hold standard recessed lamps or grommet-mounted 4" round lamps • Accepts lamps equipped with a grommet or flange • #10 mounting screw hole in center accepts 2 1/2" round reflector

43642   Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-002-006

## MOUNTING MODULE FOR 4" ROUND LAMPS

Black enamel-coated steel construction • Use with 4" LED strobes or any 4" round lamp • Accepts lamp equipped with a grommet or flange • Weld to your chassis or apparatus

43732   Black

Material: Steel
Finish: Black
VMRS Code: 034-001-051

3.63"
(92mm)

1.25"
(32mm)
wire exit

6.25"
(159mm)

4.44"
(113mm)

6.5"
(165mm)

O-RING

94110   O-Ring for use with 46782 and 46783 lamps

VMRS Code: 031-004-124

.13" round
(3mm)

2.5"
(64mm)

SNAP RING

99593   Use with 50222 and 50352
99595   Use with 50232

Material: Stainless Steel
Finish: Stainless Steel
VMRS Code: 034-002-005

4.88"
(124mm)

RECESSED MOUNTING GROMMET FOR 6" OVAL LAMPS

Fits 2 1/2" x 6 3/4" oval mounting hole • Fits panel thickness up to 1/4"

92420   Open Grommet
92720   Closed Back Grommet

Material: PVC
Finish: Black
VMRS Code: 034-002-002

92420

3.25"
(83mm)

7.63"
(194mm)

1"
(25mm)

SURFACE MOUNT SNAP-IN BRACKET FOR 6" OVAL LAMPS

Allows for quick and easy surface mount application • Designed to work with 5413-, 5414-, 5416-, 5417-product lines only. • 6" mounting screw hole spacing

**42152**   Black, Polycarbonate
42153   Chrome, ABS

Material: Polycarbonate/ABS
Finish: Black/Chrome
VMRS Code: 034-004-036

42153

7.91"
(201mm)

.81"
(21mm)

(4) Mounting Holes
for #10 Screws

3.7"
(94mm)

Grote | **WWW.GROTE.COM**

277

SURFACE MOUNT BRACKET FOR 6" OVAL LAMPS

Can be used with any Grote® 6"oval LED or incandescent lamp • Ideal for adding LED strobe lamps to a vehicle • 7 5/16" mounting screw hole spacing

43172   Black

Material: Polycarbonate
Finish: Black
VMRS Code: 034-002-006

7.31" (186mm) hole center
1.81" (46mm)
8.13" (206mm)
2.63" (67mm)

THEFT-RESISTANT MOUNTING FLANGE FOR 6" OVAL LAMPS

For use with most LED and incandescent lamps • Security ring fits over oval theft-resistant mounting flanges • 7 1/4" x 3" mounting screw hole spacing

42103   Stainless Steel, Security Ring
**43220**   Gray, Polycarbonate
43222   Black, Polycarbonate
43223   Chrome-Plated, ABS
43723   Stainless Steel

Material: Polycarbonate/Stainless Steel/ABS
Finish: Gray/Black/Stainless Steel/Chrome
VMRS Code: 034-002-006

43723

7.85" (199mm)
3.6" (91mm)
3" (76mm)
7.25" (184mm)
.9" (23mm)
(4) Mounting Holes For #10 Screws

ANGLED MOUNTING BRACKET FOR 6" OVAL LAMPS

Accepts lamp equipped with a grommet or flange • 6 1/4" mounting screw hole spacing

43362   Black, 90° angle bracket

Material: Steel
Finish: Black
Grommet: 92420
VMRS Code: 034-002-006

1.75" (44mm)
.88" (22mm)
8.25" (210mm)
6.25" (159mm)
.38" x 1.25" slot (10mm x 32mm)
(2) holes for $5/16$" bolts
1.25" R. (32mm)
4.06" (103mm)
4.25" (108mm)
2.5" (64mm)

"Z" MOUNTING BRACKET FOR 6" OVAL LAMPS

Heavy-gauge steel, baked black enamel finish • Accepts lamp equipped with a grommet or flange • 6 1/4" mounting screw hole spacing

**43952**   Black

Material: Steel
Finish: Black
Grommet: 92420
VMRS Code: 034-002-006

8.25" (210mm)
6.25" (159mm)
4.25" (108mm)
1" (25mm)
1.88" (48mm)
(2) mounting holes for ¼" bolts
3.88" (98mm)
1.25" R. (32mm)
4.25" (108mm)
2.5" (64mm)

MOUNTING BRACKET FOR 6″ OVAL LAMPS AND STROBES

Accepts lamp equipped with a grommet or flange • 8 1/4″ mounting screw hole spacing • Weld to your chassis or apparatus

43100   Black

Material: Steel
Finish: Black
Grommet: 92420
VMRS Code: 034-001-051

8.25"
(210mm)

1.25" Dia.
(32mm)
pigtail
exit hole

3.88"
(98mm)

3.13"
(79mm)

opening fits
standard oval
grommet

optional mounting surfaces
predrilled holes for
#10 tapping screws

MOUNTING BRACKET FOR 7" ROUND LAMPS

Heavy-gauge steel • For use with 7800, 7830 and 7831 series lamps

43282   Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-003-080

2.63"
(67mm)

5.88"
(149mm)

1.19"
(30mm)

4.25"
(108mm)

2"
(51mm)

3"
(76mm)

(3) holes for
¼" bolts

.94"
(24mm)

.63"
(16mm)

(4) holes for
¼" bolts on
2" (51mm) B.C.

MOUNTING BRACKET FOR UTILITY LAMPS

Detachable angle mounting bracket for utility work lamps with standard 3/8" mounting

43292   Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-003-080

4.25"
(108mm)

3.19"
(81mm)

3.06"
(108mm)

2.75"
(70mm)

1.63"
(41mm)

2.44"
(62mm)

(1) hole
for 3/8" bolt

(2) holes
for 1/4" bolts

RECESSED MOUNTING GROMMET FOR RECTANGULAR LAMPS

Requires 5 7/16" x 3 9/16" mounting hole with 1" radius corners • Fits panel thicknesses up to 5/16"

94180   Mounting Grommet

Material: PVC
Finish: Black
VMRS Code: 034-002-002

6.25"
(159mm)

4.5"
(114mm)

1.63"
(41mm)

90° ANGLE BRACKET FOR 7" ROUND LAMPS

Provides multiple mounting options for flush mount 7" round lamps

93982   Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-001-022

8"
(203mm)

2"
(51mm)

6.24"
(159mm)

6.24"
(159mm)

8"
(203mm)

RECESSED FLUORESCENT LAMP PAN

Provides a rigid mounting surface for fluorescent lamps • Fits Grote's fluorescent lamp 61511 • Keeps insulation away from lamp

43540   Recessed Pan

Material: Aluminum
Finish: Polished
VMRS Code: 034-004-036

(4) mounting holes for #10 screws
5.63" (143mm)
16.63" (422mm)
1.75" (44mm)
26" (660mm)
24" (610mm)
6.63" (168mm)

SLOW-MOVING VEHICLE EMBLEM BRACKETRY

Easy installation • Use with slow-moving vehicle emblem 71152 (emblem not included)

EMBLEM BRACKET:

43325   Steel

Material: Steel
Finish: Galvanized
VMRS Code: 034-001-051

6.75" (171mm)
6" (152mm)
2" (51mm)
(2) holes for ¼" bolts
43325
1.75" (44mm)
10.94" (278mm)
(2) square holes for ⁵/₁₆" bolts
.63" (16mm)

STROBE AND BEACON MOUNTING ADAPTER FOR MIRROR BRACKET ASSEMBLY

Allows for mounting of strobe and beacon warning lamps to mirror bracket assembly

PIPE MOUNT:

93600   Aluminum/Steel Bracket w/ 1" Built-in Mount

Material: Aluminum/Steel
Finish: Gray
VMRS Code: 034-001-051

5.56" (141mm)
1.75" (44mm)
1.5" (38mm)
¼" U-bolts for ¾" tubing

## UNIVERSAL OFFSET LICENSE PLATE BRACKET

For use with most standard two-stud box-style lamps and license plates

43262-5   Black   `RETAIL`

Material: Polypropylene
Finish: Black
VMRS Code: 034-004-036

2.75" (70mm)
1.88" (48mm)
1.13" (29mm)
3" (76mm)
5.5" (140mm)
(2) holes for ¼" bolts
.31" x 2.94" (8mm x 75mm) slots (2 plcs.)
9.5" (241mm)

UNIVERSAL STEEL OFFSET LICENSE PLATE BRACKET

For use with most standard two-stud box-style lamps and license plates

43022   Black, Powder-Coated
43022-5   Black, Powder-Coated   `RETAIL`

Material: Steel
Finish: Black
VMRS Code: 034-004-036

2.75" (70mm)
1.88" (48mm)
1.13" (29mm)
2.88" (73mm)
5.5" (140mm)
(2) holes for ¼" bolts
.31" x 2.94" (8mm x 75mm) slots (2 plac.)
9.5" (241mm)

UNIVERSAL STEEL LICENSE PLATE BRACKET

For use with most standard two-stud box-style lamps and license plates

43272   Black, Powder-Coated
43272-5 Black, Powder-Coated   *RETAIL*

Material: Steel
Finish: Black
VMRS Code: 034-004-036

2.75"
(70mm)
(2) holes
for ¼" bolts
2"
(51mm)
.63"
(16mm)
4.13"
(105mm)
.31" x 2.94"
(8mm x 75mm)
slots (2 plcs.)
9.5"
(241mm)

UNIVERSAL STEEL LICENSE PLATE BRACKET

For use with most standard two- or three-stud box-style lamps and license plates

43842   Black, Powder-Coated

Material: Steel
Finish: Black
VMRS Code: 034-004-036

3.75"
(95mm)
2"
(51mm)
1.88"
(48mm)
2"
(51mm)
(4) holes
for ¼" studs
.75" x 1" slot
(19mm x 25mm)
2 plcs.
7.5"
(191mm)
.31" x .94" slot
(8mm x 24mm)
2 plcs.
9"
(229mm)

ADJUSTABLE BRACKET FOR TRILLIANT® LAMPS

Adjustable and lockable bracket for the Trilliant® LED Whitelight lamps
• Provides more aiming control and more reliability than the standard bracket • Cantilever locking mechanism stays in place in even the harshest environments

43652   Bracket, Black

Material: Zinc
Finish: Black
VMRS Code: 034-006-034

2"
(51mm)
2"
(51mm)
3.07"
(78mm)
.71"
(18mm)
(5) .28"
mounting
holes
Center
mounting
hole
3.5"
(89mm)

WORK LIGHT MOUNTING BRACKET

• Designed to work with most Trilliant® and Brite Zone® work lights
• Allows work lamps to pivot without damage to vehicle
• Robust construction to withstand multiple hours of vibration
• Mount direct to vehicle with M6 fasteners

94450   Steel Mounting Bracket

Material: 16 GA Steel
VMRS Code: 034-006-034

1"
(25mm)
ø.4"
(10mm)
.87"
(22mm)
1.82"
(46mm)
3.35"
(85mm)
1.97"
(50mm)

REPLACEMENT MAGNETIC MOUNT

Can be used as a magnetic mount on Par 36 rubber tractor and utility lamps • Has adhesive magnet pad to prevent scratching of vehicle
• 80 lb. pull magnet

43300   Magnetic Mount

Material: Steel
Finish: Chrome
VMRS Code: 034-001-051

.44"
(11mm)
.34"
(9mm)
3.25"
(83mm)

FLUSH-MOUNT WORK LAMP BRACKET

Add-on bracket to convert the Trilliant® Mini LED Work Lamp into a flush-mount lamp

94690   Stainless Steel

Material: Stainless Steel
Finish: Stainless Steel
VMRS Code: 034-002-002

(2) slots for
#8 screws
.19" x .25"
(5mm x 6mm)

3.88"
(98mm)

6.88"
(175mm)

7.25"
(184mm)

PAR 36 RUBBER TRACTOR HOUSING

Shock-absorbing, weather-proof body • Swivel mount

64930   Black

Material: Rubber
Finish: Black
VMRS Code: 034-001-015

2.75"
(70mm)

5"
(127mm)

5.88"
(149mm)

³/₈"-16 x 1" stud

AGRICULTURE LIGHT ADAPTER BRACKET KIT

Fits Surface-mount LED amber warning & red stop/tail/turn lamps • Surface-mount lamps can be connected as a dual-lamp with use of the adapter bracket

98130   Agriculture Light Adapter Bracket Kit

VMRS Code: 034-004-044

WARNING & HAZARD 6" BRANCH GUARD

Fits Products: 78051, 78053, 78055, 78061, 78063, 78065, 78081, 78085, 78050, 78052, 78054, 78080

98460   6" Branch Guard

Material: Steel w/ Black Powder Coat
VMRS Code: 034-004-153

7.3"
(180mm)

5.9"
(151mm)

WARNING & HAZARD 4" BRANCH GUARD

Fits Products: 78031, 78033, 78035, 78071, 78075, 78851, 78070, 78030, 78034, 78851, 78853, 78855

98470   4" Branch Guard

VMRS Code: 034-004-153

5.78"
(135mm)

5.9"
(151mm)

WARNING & HAZARD 6" OVAL BEZEL

Fits Products: 78190, 78191, 78193, 78194, 78195

98410   6" Oval Black Bezel
98480   6" Oval Chrome Bezel

Material: ABS
VMRS Code: 034-001-051

98480   98410

3.05"
(77mm)

7.2"
(183mm)

WARNING & HAZARD DIRECTIONAL WARNING BRACKETS AND BEZELS

Fits Products: 78140, 78141, 78142, 78143, 78144, 78145, 78146, 78460, 79080, 79100, 79110, 79120

BRACKET

98350   License Bracket, Aluminum
98360   L Bracket, Steel

BEZEL

98390   Directional Chrome Bezel
98400   Directional White Bezel

Material: 98390 - ABS, 98400 - Polycarbonate
VMRS Code: 034-001-051

98350   98360

12.51"
(318mm)

6.39"
(162mm)

1.25"
(32mm)

Mounting Hardware
#10 x 5/8" Type 25 S/S Screw

Mounting Hardware
#6 Acorn S/S Crown Nu

5"
(127mm)

1.5"
(38mm)

Mounting Hardware
#6 x 1/2" Taptite S/S Screw

98400   98390

5.08"
(129mm)

.24"
(6mm)

1.13"
(29mm)